

SIEMENS SIMATIC S7-200 PLC 6ES7223-1BH22-0XA8 EM 223 24 VDC Digital Comb 8 Inputs/8 Outputs

Basic Information

Place of Origin: GermanyBrand Name: SIEMNENS

• Certification: CE

Model Number: 6ES7223-1BH22-0XA8

Minimum Order Quantity: 1Price: USD

• Packaging Details: 7.30 x 8.80 x 7.00cm

Delivery Time: 7-14 DAYS
Payment Terms: L/C, T/T
Supply Ability: 100PS



Product Specification

• Communication Protocols: PROFIBUS DP, MPI, PROFINET

Memory Size: 256 KBProtection Class: IP20Number Of Digital Inputs: 8

Operating Temperature: -20°C To +60°C
 Certifications: CE, UL, CSA

• Number Of Digital Outputs: 8

• Dimensions: 7.30 X 8.80 X 7.00cm

Power Supply: 24 V DCCpu Type: Cpu224 226

• Programming Language: Ladder Logic, Function Block Diagram,

Structured Text



More Images



Product Description

SIEMENS SIMATIC S7-200 PLC 6ES7223-1BH22-0XA8 EM 223 24 VDC Digital Comb 8 Inputs/8 Outputs

Product Description:

The SIEMENS SIMATIC S7-200 PLC 6ES7223-1BH22-0XA8 EM 223 is a digital combination module that provides 8 digital input channels and 8 digital output channels. This module is designed for use with the SIMATIC S7-200 PLC series and allows for the control and monitoring of digital signals in automation applications.

Specifications:

- Module Type: Digital Combination
- Number of Input Channels: 8 (Digital Inputs)
- Number of Output Channels: 8 (Digital Outputs)
- Input Type: 24 VDC
- Output Type: 24 VDC
- Maximum Switching Voltage: 30 VDC
- Maximum Switching Current: 0.5A per channel

Origin: Siemens products are manufactured by Siemens AG, a multinational conglomerate headquartered in China

Application Range:

The EM 223 digital combination module is suitable for a wide range of industrial automation applications that require the control and monitoring of digital signals. It can be used in industries such as manufacturing, process control, machine building, and more.

Application Examples:

- 1. Machine Control: The EM 223 module can be used to monitor and control various aspects of a machine, such as limit switches, push buttons, or proximity sensors. The digital inputs can be connected to these sensors to detect machine conditions, while the digital outputs can be used to control actuators such as motors or valves.
- 2. Safety Systems: The module can be applied in safety systems to monitor emergency stop buttons, safety interlocks, or safety sensors. The digital inputs can be connected to these safety devices to ensure the safe operation of machinery, while the digital outputs can be used to activate safety measures or shutdown procedures.
- 3. Conveyor Control: The module can be used to control and monitor conveyor systems in manufacturing or material handling applications. The digital inputs can be used to detect product presence or position, while the digital outputs can be used to control motor starters or actuate pneumatic valves for conveyor control.
- 4. Alarm Systems: The module can be utilized in alarm systems to monitor various conditions or events and activate alarms or notifications. The digital inputs can be used to detect abnormal conditions or trigger events, while the digital outputs can be used to activate audible or visual alarms or send signals to control room displays.

These are just a few examples of the wide range of applications where the SIEMENS SIMATIC S7-200 PLC 6ES7223-1BH22-0XA8 EM 223 digital combination module can be utilized. Its versatile inputs/outputs, reliable performance, and compatibility with the SIMATIC S7-200 PLC series make it a suitable choice for various industrial automation scenarios.

Product		
Article Number (Market Facing Number)	6ES7223-1BH22-0XA8	
Product Description	*** spare part *** SIMATIC S7-200 CN, Digital I/O EM 223, only for S7-22X CPU, 8 DI 24 V DC, sink/source, 8 DO 24 V DC; 0.75 A/channel source this S7-200 CN product only has CE approval	
Product family	Not available	
Product Lifecycle (PLM)	PM410:Product cancellation	
PLM Effective Date	Product is cancelled since: 2021.10.01	
Notes	This product is a Spare Part, please visit the Spares & Service section for more information If you need assistance please contact our local Siemens office	
Price data		
Price Group / Headquarter Price Group	2ET	
List Price (w/o VAT)	Show prices	
Customer Price	Show prices	
Metal Factor	None	
Delivery information		
Export Control Regulations	ECCN: EAR99H / AL: N	
Factory Production Time	10 Day/Days	
Net Weight (kg)	0.189 Kg	
Packaging Dimension	7.30 x 8.80 x 7.00	

Package size	
unit of	СМ
measure	
Quantity Unit	1 Piece
Packaging Quantity	1
Additional Prod	uct Information
EAN	4025515073390
UPC	Not available
Commodity Code	85389091
LKZ_FDB/ CatalogID	ST72-CN
Product Group	4557
Group Code	R131
Country of origin	China

....







VOBOAL Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017



sale@voboal.com



plcsimatic.com

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen