

SIEMENS SIMATIC S7-200 PLC 6ES7214-2AS23-0XB0 CPU 224XPSi DC/DC/DC 14 Inputs/10 Outputs

Our Product Introduction

for more products please visit us on plcsimatic.com

Basic Information

- Place of Origin: Germany
- Brand Name: SIEMNENS
- Certification: CE
- Model Number: 6ES7214-2AS23-0XB0
- Minimum Order Quantity: 1
- Price: USD
- Packaging Details: 20*20*10
- Delivery Time: 7-14 DAYS
- Payment Terms: L/C, T/T
- Supply Ability: 100PS



Product Specification

- Range: Simatic S7
- Protection Class Ip: IP30
- Type Of Product: Analog Modules
- Communication: PROFINET, PROFIBUS, Ethernet/IP, Modbus TCP, OPC UA
- Manufacturer: Siemens
- Digital Inputs: Up To 32
- Memory: Up To 32 MB
- Analog Inputs: Up To 8
- Analog Outputs: Up To 8
- Cpu: S7-1500
- Special Features: Integrated Web Server, Integrated Safety Functions, Integrated Motion Control
- Subrange: S7-300
- Dimensions: Depends On Model
- Weight: Depends On Model

Product Description

SIEMENS SIMATIC S7-200 PLC 6ES7214-2AS23-0XB0 CPU 224XPSi DC/DC/DC 14 Inputs/10 Outputs

I apologize for the confusion caused in my previous response. The correct details about the SIEMENS SIMATIC S7-200 PLC 6ES7214-2AS23-0XB0 CPU 224XPSi module are as follows:

The SIEMENS SIMATIC S7-200 PLC 6ES7214-2AS23-0XB0 CPU 224XPSi is a specific model of the S7-200 PLC series offered by Siemens. Here are the correct details about the SIEMENS SIMATIC S7-200 PLC 6ES7214-2AS23-0XB0 CPU 224XPSi:

1. CPU 224XPSi: The 6ES7214-2AS23-0XB0 CPU 224XPSi is a CPU module from the S7-200 PLC series. It serves as the central processing unit of the PLC, responsible for executing the control program and managing communication with other modules and devices.

2. Inputs: The CPU 224XPSi has 14 digital inputs. These inputs can be used to connect various sensors, switches, or other devices to monitor the state of external signals.

3. Outputs: The CPU 224XPSi has 10 digital outputs. These outputs can be used to control external devices such as motors, solenoids, or other devices that require switching capability.

4. Power Supply: The CPU 224XPSi is designed to operate with a DC power supply. It supports a specific range of input voltages to accommodate different power supply configurations.

5. Compatibility: The SIEMENS SIMATIC S7-200 PLC 6ES7214-2AS23-0XB0 CPU 224XPSi is designed to be compatible with the S7-200 PLC series. Ensure compatibility with the specific PLC model and firmware version you are using.

The CPU 224XPSi is suitable for small to medium-sized automation projects, providing a sufficient number of digital inputs and outputs for basic control applications.

For more detailed specifications, programming information, and specific details about the SIEMENS SIMATIC S7-200 PLC 6ES7214-2AS23-0XB0 CPU 224XPSi, it is recommended to refer to the official documentation provided by Siemens or contact their technical support for accurate and up-to-date information based on your requirements.

Price data	
Region Specific PriceGroup / Headquarter Price Group	S20 / 2ET
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Materials	None
Metal Factor	None
Delivery information	
Export Control Regulations	ECCN : N / AL : N
Estimated dispatch time (Working Days)	1 Day/Days
Net Weight (kg)	0,365 Kg
Packaging Dimension	10,90 x 15,60 x 7,50
Package size unit of measure	CM
Quantity Unit	1 Piece
Packaging Quantity	1
Additional Product Information	
EAN	4025515075486
UPC	Not available
Commodity Code	85371091
LKZ_FDB/ CatalogID	ST9-E5
Product Group	4255
Group Code	R131
Country of origin	China



Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017



sale@voboal.com



plcsimatic.com

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen