SIEMENS PLC SIMATIC S7-1500 "DI 16X24VDC BA (25 MM)" 6ES7521-1BH10-0AA0 DELIVERY INCL. FRONT CONNECTOR

Basic Information

Place of Origin: GermanyBrand Name: SIEMENSCertification: CE

Model Number: 6ES7521-1BH10-0AA0

Minimum Order Quantity: 1Price: USD

• Packaging Details: 15,10 x 15,40 x 4,60

Delivery Time: 10-12Days
Payment Terms: L/C, T/T
Supply Ability: 100



Product Specification

• Operating Temperature -20°C To +60°C

Range:

• Number Of Digital Inputs: 16/32/64/128

• Dimensions: 130 X 125 X 130 Mm

• Communication Protocols: PROFINET/PROFIBUS/Modbus TCP

Cpu Type: S7-1500 Power Supply: 24V DC

• Integrated Functions: Motion Control/Security/Redundancy

Weight: 0.5 Kg
Number Of Analog Outputs: 4/8
Number Of Analog Inputs: 8/16

Memory: 4 MB/12 MB/24 MB/48 MB

• Number Of Digital Outputs: 16/32/64/128

• Number Of Communication 2/4/8

Interfaces:

Product Description

SIEMENS PLC SIMATIC S7-1500 "DI 16X24VDC BA (25 MM)" 6ES7521-1BH10-0AA0 DELIVERY INCL. FRONT CONNECTOR

Product Introduction:

The SIEMENS PLC SIMATIC S7-1500 "DI 16X24VDC BA (25 MM)" 6ES7521-1BH10-0AA0 is a digital input module designed for the SIEMENS SIMATIC S7-1500 series. It features 16 digital input channels operating at 24VDC. The module is delivered with a front connector, ensuring convenient installation and connectivity.

Product Information and Specifications:

- Model: DI 16X24VDC BA (25 MM) 6ES7521-1BH10-0AA0

- Digital Inputs: 16 channels

- Input Voltage: 24VDC

- Included Component: Front Connector

The DI 16X24VDC BA (25 MM) module provides 16 digital input channels operating at 24VDC. It is delivered with a front connector, which is included as part of the package. This front connector facilitates easy and efficient installation of the module and ensures reliable connectivity.

Product Attributes:

- Model: DI 16X24VDC BA (25 MM) 6ES7521-1BH10-0AA0

- Digital Inputs: 16 channels - Input Voltage: 24VDC

- Included Component: Front Connector

Product Usage:

The SIEMENS PLC SIMATIC S7-1500 DI 16X24VDC BA (25 MM) 6ES7521-1BH10-0AA0 module is commonly used in industrial automation applications to monitor digital input signals operating at 24VDC. The module is delivered with a front connector, which simplifies the installation process and ensures secure and reliable connections. The included front connector enhances the usability and convenience of the module, making it easier to integrate into the control system. In summary, the SIEMENS PLC SIMATIC S7-1500 DI 16X24VDC BA (25 MM) 6ES7521-1BH10-0AA0 is a digital input module

with 16 channels designed for 24VDC input signals. It comes with a front connector included, which facilitates easy installation and ensures reliable connectivity. This module is commonly used in industrial automation applications where convenient and dependable digital input monitoring is required.

6ES7521-1BH10-0AA0 SIMATIC S7-1500 Digital input module, DI 16x24 V DC BA, 16 channels in groups of 16, input delay typ. 3.2 ms, input type 3 (IEC 61131); Delivery incl. front connector Push-in SM 521 digital input modules PM300:Active Product
SIMATIC S7-1500 Digital input module, DI 16x24 V DC BA, 16 channels in groups of 16, input delay typ. 3.2 ms, input type 3 (IEC 61131); Delivery incl. front connector Push-in SM 521 digital input modules PM300:Active Product
SIMATIC S7-1500 Digital input module, DI 16x24 V DC BA, 16 channels in groups of 16, input delay typ. 3.2 ms, input type 3 (IEC 61131); Delivery incl. front connector Push-in SM 521 digital input modules PM300:Active Product
channels in groups of 16, input delay typ. 3.2 ms, input type 3 (IEC 61131); Delivery incl. front connector Push-in SM 521 digital input modules PM300:Active Product
(IEC 61131); Delivery incl. front connector Push-in SM 521 digital input modules PM300:Active Product
(IEC 61131); Delivery incl. front connector Push-in SM 521 digital input modules PM300:Active Product
PM300:Active Product
040 / 040
040 / 040
010 / 010
219 / 219
Show prices
Show prices
·
None
None
AL . N. / ECCN . N
AL:N/ECCN:N
4 D/D
1 Day/Days
0,316 Kg
15,10 x 20,30 x 4,00
0.14
CM
1 Piece
1
tion
4047623402497
887621779085
85389091
ST73
4501
R151
Germany
Comany
Since: 21.10.2013
within the returns guidelines/period.
<u> </u>
Yes

Lead monoxide (lead ... CAS-No. 1317-36-8 > 0, 1 % (w / w) REACH Art. 33 Duty to inform according to the 4,4'-isopropylidened... CAS-No. 80-05-7 > 0, 1 % (w / w) current list of candidates fcc1b1e3-e5c0-4664-b83b-99677ce4cc47 SCIP number





Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017



sale@voboal.com



plcsimatic.com

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen