

Germany or China

6AV6651-7DA01-3AA0

SIEMNENS

CE

1

USD

40\*30\*10

7-14DAYS

100PS

## SIEMENS SIMATIC HMI 6AV6651-7DA01-3AA0 SIMATIC S7-1200+KTP600 **Basic Starter Kit**

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: L/C, T/T
- Supply Ability:



## **Product Specification**

- Dimensions:
- Resolution: • Memory:

• Processor:

- 165 X 214 X 50 Mm 480 X 272 Pixels 256 MB RAM,
- Certifications:
- ARM Cortex-A8 CE,

Our Product Introduction

## **Product Description**

kit that includes the SIMATIC S7-1200 programmable logic controller (PLC) and the KTP600 Basic HMI device. This kit provides a complete solution for small to medium-scale industrial automation projects.

- Product Information and Specifications:
- Model: SIMATIC HMI 6AV6651-7DA01-3AA0 SIMATIC S7-1200+KTP600 Basic Starter Kit
- Product Type: PLC and HMI starter kit
- PLC Model: S7-1200
- HMI Model: KTP600 Basic
- Product Attributes:
- Model: SIMATIC HMI 6AV6651-7DA01-3AA0 SIMATIC S7-1200+KTP600 Basic Starter Kit
- Product Type: PLC and HMI starter kit
- PLC Model: S7-1200
- HMI Model: KTP600 Basic

The SIEMENS SIMATIC HMI 6AV6651-7DA01-3AA0 SIMATIC S7-1200+KTP600 Basic Starter Kit is designed to provide a complete solution for small to medium-scale industrial automation applications.

The SIMATIC S7-1200 PLC is a powerful and versatile programmable logic controller that offers a wide range of I/O options, fast processing capabilities, and a reliable control platform. It is suitable for various automation tasks and can be easily integrated into existing systems.

The KTP600 Basic HMI device provides a user-friendly interface for operators to visualize and control industrial processes. It features a 6-inch touchscreen display and offers essential HMI functionalities for operation and visualization.

By combining the S7-1200 PLC with the KTP600 Basic HMI, users can create a comprehensive automation system for their small to medium-scale applications. The PLC executes control logic and communicates with various industrial devices, while the HMI enables easy monitoring and operation of the processes.

It's important to note that the specific features, specifications, and system requirements of the S7-1200 PLC and the KTP600 Basic HMI may vary. For detailed information on the product specifications, software features, and any additional attributes related to the SIEMENS SIMATIC HMI 6AV6651-7DA01-3AA0 SIMATIC S7-1200+KTP600 Basic Starter Kit, it is

recommended to refer to the product documentation provided by Siemens or contact their technical support. They can provide specific guidance and assistance based on the kit's specifications and requirements.

Product	
Article Number	
(Market Facing	6AV6651-7DA01-3AA0
Number)	
	S7-1200+KTP600 BASIC STARTERKIT CPU 1212C AC/DC/RLY, HMI KTP600 BASIC COLOR PN, INPUT SIMULATOR, STEP7 BASIC CD, MANUAL CD, INFO MATERIAL, SYSTAINER
Product family	Not available
Product Lifecycle (PLM)	PM500:Discontinued Product or end of PLM & Support
PLM Effective Date	End of product lifecycle since: 31.07.2011
Notes	Product is no longer available If you need assistance please contact our local Siemens office
Price data	
Region Specific PriceGroup / Headquarter Price Group	2SP / 2SP
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Materials	None
Metal Factor	None
Delivery information	
Export Control Regulations	ECCN : 5D992 / AL : N
Estimated dispatch time (Working Days)	1 Day/Days
Net Weight (kg)	6,500 Kg
IDimension	30,00 x 39,50 x 17,00
Package size unit of measure	СМ
Quantity Unit	0 Piece
Packaging Quantity	1
Additional Product Ir	, iformation
EAN	4019169669627
UPC	Not available
Commodity Code	85371099
LKZ_FDB/ CatalogID	ST80E
Product Group	3384
	R119

SIEMENS	SIMATIC HMI	