# SIEMENS SIMATIC HMI 6AV6652-3PB01-2AA0 Package MP277 10" + Thin Client 10"

#### **Basic Information**

VOBOAL

Place of Origin: Germany or ChinaBrand Name: SIEMNENS

• Certification: CE

Model Number: 6AV6652-3PB01-2AA0

Minimum Order Quantity: 1
Price: USD
Packaging Details: 40\*30\*10
Delivery Time: 7-14DAYS
Payment Terms: L/C, T/T
Supply Ability: 100PS



### **Product Specification**

Dimensions: 165 X 214 X 50 Mm
Resolution: 480 X 272 Pixels
Memory: 256 MB RAM,
Processor: ARM Cortex-A8

• Certifications: CE,

#### **Product Description**

SIEMENS SIMATIC HMI 6AV6652-3PB01-2AA0 Package MP277 10" + Thin Client 10"

**Product Introduction:** 

The SIEMENS SIMATIC HMI 6AV6652-3PB01-2AA0 Package consists of the MP277 10" HMI (Human-Machine Interface) and the Thin Client 10" device. This package provides a comprehensive solution for industrial automation, combining a high-quality HMI display with a Thin Client for remote access and visualization.

Product Information and Specifications:

- Model: SIMATIC HMI 6AV6652-3PB01-2AA0 Package
- Product Type: HMI and Thin Client package
- HMI Model: MP277 10"
- Thin Client Model: 10"

Product Attributes:

- Model: SIMATIC HMI 6AV6652-3PB01-2AA0 Package
- Product Type: HMI and Thin Client package
- HMI Model: MP277 10" - Thin Client Model: 10"

The SIEMENS SIMATIC HMI 6AV6652-3PB01-2AA0 Package includes the MP277 10" HMI and the Thin Client 10". This package offers a combined solution for industrial automation applications.

The MP277 10" HMI features a high-quality display with a 10-inch screen size. It provides an intuitive and user-friendly interface for operators to interact with machines and processes. The HMI allows for real-time monitoring, control, and visualization of industrial processes.

The Thin Client 10" device is designed for remote access and visualization. It enables users to access the HMI applications and data from a remote location, providing flexibility and convenience. The Thin Client allows for centralized management and control of HMI applications across multiple devices.

By combining the MP277 10" HMI with the Thin Client 10", users can create a powerful and flexible solution for industrial automation. The HMI provides local visualization and control, while the Thin Client enables remote access and monitoring. It's important to note that the specific features, software versions, and system requirements of the MP277 10" HMI and the Thin Client 10" may vary. For detailed information on the product specifications, software features, and any additional attributes related to the SIEMENS SIMATIC HMI 6AV6652-3PB01-2AA0 Package, it is recommended to refer to the product documentation provided by Siemens or contact their technical support. They can provide specific guidance and assistance based on the package's specifications and requirements.

| nents.                |
|-----------------------|
|                       |
| 271 / 271             |
|                       |
| Show prices           |
| None                  |
| None                  |
| •                     |
| ECCN: 5D002ENCU / AL: |
| N                     |
| 1 Day/Days            |
| 7,600 Kg              |
| Not available         |
| 0 Piece               |
| 1                     |
| ·                     |
| Not available         |
| Not available         |
| 85371099              |
| ST80E                 |
| 2346                  |
| R119                  |
| Germany               |
|                       |

ш





## **VOBOAL** Shenzhen Voboal Industrial Automation Co., Ltd.

+8613760462017

sale@voboal.com

plcsimatic.com

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen