Germany SIEMENS

6EP1961-2BA41

15,10 x 15,40 x 4,60

10-12Days

100

CE

1 USD

SIEMENS 6EP1961-2BA41 SITOP PSE200U 10 A selectivity module 4-channel input: 24 V DC/40 A output: 24 V DC/4x 10 A thresh

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: L/C, T/T
- Supply Ability:



Product Specification

 Operating Temperature: 	-25 To +70 °C
 Protection Class: 	IP20
Output Current:	5A
Weight:	1.3 Kg
 Mounting Type: 	DIN Rail
 Storage Temperature: 	-40 To +85 °C
 Dimensions: 	125 X 125 X 130 Mm
 Input Voltage: 	100-240V AC
 Output Voltage: 	24V DC
 Warranty: 	2 Years
 Efficiency: 	93%
Certifications:	CE, UL, CUL, CB, EAC, RCM

Our Product Introduction

Product Description

SIEMENS 6EP1961-2BA41 SITOP PSE200U 10 A selectivity module 4-channel input: 24 V DC/40 A output: 24 V DC/4x 10 A thresh

Apologies for the confusion. The correct information regarding the SIEMENS 6EP1961-2BA41 SITOP PSE200U selectivity module is as follows:

The SIEMENS 6EP1961-2BA41 SITOP PSE200U is a selectivity module designed to provide power distribution and protection in industrial applications. Here are the details about the SIEMENS 6EP1961-2BA41 SITOP PSE200U selectivity module:

- 1. Model: The 6EP1961-2BA41 is a specific model of the SITOP PSE200U selectivity module.
- 2. Input Voltage: The selectivity module has a 24 VDC input voltage.
- 3. Output Channels: The selectivity module has 4 output channels.
- 4. Output Current: Each output channel can provide up to 10 A (Amperes) of current at 24 VDC.
- 5. Selectivity and Protection: The selectivity module offers selectivity and protection features to ensure that a fault in one output channel does not affect the others. It helps in isolating and protecting individual circuits.

The SIEMENS 6EP1961-2BA41 SITOP PSE200U selectivity module is commonly used in industrial applications to distribute power and provide selectivity and protection for connected devices. It allows for independent operation and protection of multiple circuits, ensuring that a fault in one channel does not impact the others.

For more detailed specifications, installation guidelines, and specific information about the SIEMENS 6EP1961-2BA41 SITOP PSE200U selectivity module, it is recommended to refer to the official documentation provided by Siemens or contact their technical support for accurate and up-to-date information based on your requirements.

Article Number (Market Facing 6EP1961-2BA41 Number)	
Numbor	
/	
SITOP PSE200U 10 A selectivity module 4-channel input: 24 V	
Product Description DC/40 A output: 24 V DC/4x 10 A threshold adjustable 3-10 A v	/ith
status message for each output	
Product family Selectivity module	
Product Lifecycle PM300:Active Product	
(PLM)	
Price data	
Region Specific	
PriceGroup / 588 / 588	
Headquarter Price	
Group	
List Price Show prices	
Customer Price Show prices	
Surcharge for Raw None	
Materials	
Metal Factor None	
Delivery information	
Export Control AL : N / ECCN : 9N9999	
Regulations	
Estimated dispatch	
time (Working Days)	
Net Weight (kg) 0,220 Kg	
Packaging Dimension 8,20 x 8,80 x 7,70	
Package size unit of CM	
measure	
Quantity Unit 1 Piece	
Packaging Quantity 1	
Additional Product Information	
EAN 4025515153405	
UPC Not available	
Commodity Code 85363010	
LKZ_FDB/ CatalogID KT10-PE	
Product Group 4214	
Group Code R315	
Country of origin Austria	

