

## SIEMENS 6EP1961-2BA21 SITOP PSE200U 10 A selectivity module 4-channel input: 24 V DC/40 A output: 24 V DC/4x 10 A thresh

### Basic Information

- Place of Origin: Germany
- Brand Name: SIEMENS
- Certification: CE
- Model Number: 6EP1961-2BA21
- Minimum Order Quantity: 1
- Price: USD
- Packaging Details: 15,10 x 15,40 x 4,60
- Delivery Time: 10-12Days
- Payment Terms: L/C, T/T
- Supply Ability: 100



### Product Specification

- Dimensions: 125 X 125 X 130 Mm
- Product Type: Power Supply
- Output Current: 20 A
- Input Voltage: 120-230 V AC
- Output Voltage: 24 V DC
- Series: SITOP PSU8600
- Mounting Type: DIN Rail
- Operating Temperature: -25 To +70 °C
- Weight: 1.7 Kg
- Protection Class: IP20
- Efficiency: ≥ 94%
- Certifications: CE, UL, CUL, EAC

## Product Description

SIEMENS 6EP1961-2BA21 SITOP PSE200U 10 A selectivity module 4-channel input: 24 V DC/40 A output: 24 V DC/4x 10 A thresh

Apologies for the confusion earlier. Here is the corrected information for the SIEMENS 6EP1961-2BA21 SITOP PSE200U selectivity module:

The SIEMENS 6EP1961-2BA21 SITOP PSE200U is a selectivity module designed to provide power distribution and protection in industrial applications. Here are the details about the SIEMENS 6EP1961-2BA21 SITOP PSE200U selectivity module:

1. Model: The 6EP1961-2BA21 is a specific model of the SITOP PSE200U selectivity module.
2. Input Voltage: The selectivity module has a 24 VDC input voltage.
3. Output Channels: The selectivity module has 4 output channels.
4. Output Current: Each output channel can provide up to 10 A (Amperes) of current at 24 VDC.
5. Selectivity and Protection: The selectivity module offers selectivity and protection features to ensure that a fault in one output channel does not affect the others. It helps in isolating and protecting individual circuits.

The SIEMENS 6EP1961-2BA21 SITOP PSE200U selectivity module is commonly used in industrial applications to distribute power and provide selectivity and protection for connected devices. It allows for independent operation and protection of multiple circuits, ensuring that a fault in one channel does not impact the others.

For more detailed specifications, installation guidelines, and specific information about the SIEMENS 6EP1961-2BA21 SITOP PSE200U selectivity module, it is recommended to refer to the official documentation provided by Siemens or contact their technical support for accurate and up-to-date information based on your requirements.

Product	
Article Number (Market Facing Number)	6EP1961-2BA21
Product Description	SITOP PSE200U 10 A selectivity module 4-channel input: 24 V DC/40 A output: 24 V DC/4x 10 A threshold adjustable 3-10 A with common signaling contact
Product family	<a href="#">Selectivity module</a>
Product Lifecycle (PLM)	PM300:Active Product
Price data	
Region Specific PriceGroup / Headquarter Price Group	588 / 588
List Price	<a href="#">Show prices</a>
Customer Price	<a href="#">Show prices</a>
Surcharge for Raw Materials	None
Metal Factor	None
Delivery information	
Export Control Regulations	AL : N / ECCN : 9N9999
Estimated dispatch time (Working Days)	1 Day/Days
Net Weight (kg)	0,220 Kg
Packaging Dimension	8,20 x 8,80 x 7,70
Package size unit of measure	CM
Quantity Unit	1 Piece
Packaging Quantity	1
Additional Product Information	
EAN	4025515152668
UPC	Not available
Commodity Code	85363010
LKZ_FDB/ CatalogID	KT10-PE
Product Group	4214
Group Code	R315
Country of origin	Austria



Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017



sale@voboal.com



plcsimatic.com

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen