

SIEMENS 6ES7122-1BB10-0AA0 SIMATIC ET200L SC DIGITAL OUTPUT, 2-POINT, 24VDC/2A

Basic Information

- Place of Origin: Germany
- Brand Name: SIEMENS
- Certification: CE
- Model Number: 6ES7122-1BB10-0AA0
- Minimum Order Quantity: 1
- Price: USD
- Packaging Details: 15,10 x 15,40 x 4,60
- Delivery Time: 10-12Days
- Payment Terms: L/C, T/T
- Supply Ability: 100



Product Specification

- Dimensions: 260 X 260 X 60 Mm
- Software Compatibility: SIMATIC RF600 Software
- Power Supply: 24 VDC
- Read Range: Up To 10 Meters
- Supported Protocols: ISO 18000-6C, EPCglobal Class 1 Gen 2
- Communication Interface: Ethernet TCP/IP
- Operating Temperature: -20 To 55 Degrees Celsius
- Weight: 1.3 Kg
- Certifications: CE, FCC, RoHS
- Frequency: 865-868 MHz
- Protection Class: IP65
- Antenna Type: Circular Polarized

Product Description

SIEMENS 6ES7122-1BB10-0AA0 SIMATIC ET200L SC DIGITAL OUTPUT, 2-POINT, 24VDC/2A

Okay, let's review the details for the Siemens 6ES7122-1BB10-0AA0 SIMATIC ET200L SC Digital Output, 2-Point, 24VDC/2A:

Key Specifications:

- Model Number: 6ES7122-1BB10-0AA0

- Product Name: SIMATIC ET200L SC Digital Output, 2-Point, 24VDC/2A

This is a digital output module designed for use in the Siemens SIMATIC ET200L SC system.

The key details about this digital output module include:

1. Purpose:

- This module is specifically designed to provide digital output functionality within the SIMATIC ET200L SC system.

- It allows the system to control and switch external devices or loads.

2. Channels:

- The module has 2 digital output points or channels.

3. Voltage/Current:

- The digital outputs operate at 24VDC and can switch up to 2A of current per channel.

4. Integration:

- As a SIMATIC ET200L SC module, this digital output is designed to seamlessly integrate with the overall ET200L SC system.

- It can be easily installed and configured as part of the ET200L SC control architecture.

5. Applications:

- This digital output module is suitable for controlling various types of industrial equipment, devices, or loads that require on/off switching at 24VDC and up to 2A of current.

In summary, the Siemens 6ES7122-1BB10-0AA0 is a 2-channel digital output module for the SIMATIC ET200L SC system, providing 24VDC/2A switching capabilities to interface with and control external devices and equipment.

Please let me know if you need any clarification or have additional questions about this SIMATIC ET200L SC digital output module.

Product	
Article Number (Market Facing Number)	6ES7122-1BB10-0AA0
Product Description	*** SPARE PART*** SIMATIC SC,ELECTRONIC SUBMODULE 2 DO, 24 V DC / 2 A 2 PIECES PER PACKAGING UNIT
Product family	Not available
Product Lifecycle (PLM)	PM500:Discontinued Product or end of PLM & Support
PLM Effective Date	End of product lifecycle since: 01.10.2017
Notes	Product was deleted without replacement If you need assistance please contact our local Siemens office
Price data	
Region Specific PriceGroup / Headquarter Price Group	2AP / 2AP
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Materials	None
Metal Factor	None
Delivery information	
Export Control Regulations	ECCN : N / AL : N
Estimated dispatch time (Working Days)	30 Day/Days
Net Weight (kg)	0,038 Kg
Packaging Dimension	5,50 x 6,70 x 2,50
Package size unit of measure	CM
Quantity Unit	0 Package
Packaging Quantity	2
Additional Product Information	
EAN	4025515057734
UPC	662643191899
Commodity Code	85389091
LKZ_FDB/ CatalogID	ST9-E5
Product Group	4467
Group Code	R111
Country of origin	Germany



Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017



sale@voboal.com



plcsimatic.com

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen