

Shenzhen Voboal Industrial Automation Co.

Basic Information

Place of Origin:

VOBOAL

Brand Name: SIEMENS

plcsimatic.com

- Certification:
- Model Number: 6ES7193-0CD40-7XA0

Germany

CE

1

USD

100

15,10 x 15,40 x 4,60

- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time: 10-12Days
- Payment Terms: L/C, T/T
- Supply Ability:



Product Specification

Number Of Analog Inputs:	Up To 32
Dimensions:	130 X 125 X 125 Mm
Number Of Digital Inputs:	Up To 64
Programming Languages:	Ladder Logic, Function Block Diagram, Structured Text, SCL
• Number Of Digital Outputs:	Up To 64
Number Of Motion Control Axes:	Uр То 128
Communication Protocols:	PROFINET, PROFIBUS, AS-Interface, Modbus TCP, OPC UA
 Operating Temperature Range: 	-25°C To +60°C
 Power Supply: 	24V DC
Number Of Analog Outputs	: Up To 32
 Programming Software: 	STEP 7 Professional V15
• Сри Туре:	S7-1500

Product Description

SIEMENS 6ES7193-0CD40-7XA0 SIMATIC S5/S7, SHIELD

The SIEMENS 6ES7193-0CD40-7XA0 is a shielding terminal block that is compatible with both the SIMATIC S5 and SIMATIC S7 automation systems. Here are the key details about this shielding terminal block:

Product Description:

- The 6ES7193-0CD40-7XA0 is a universal shielding terminal block that can be used with both SIMATIC S5 and SIMATIC S7 I/O systems.

- It provides a standardized interface for terminating and grounding the shielding of field cables.

- Connectivity:
- The terminal block has 40 connection points for wiring.
- It supports both DC and AC powered I/O modules.
- Includes a dedicated grounding rail for terminating cable shielding.
- Mounting:
- The terminal block mounts directly onto the SIMATIC S5 or S7 I/O module.
- It provides a secure and reliable connection to the automation system.
- Shielding Termination:
- The grounding rail allows for easy and organized termination of cable shielding.
 This helps ensure proper grounding and shielding for noise immunity.
- This helps en: Compatibility:
- Can be used with both SIMATIC S5 and SIMATIC S7 I/O modules.
- Provides a common interface between the two automation systems.
- Other Details:
- Part of the SIMATIC automation system accessories.
- Supports a wide range of I/O modules in the S5 and S7 portfolios.
- Enables easy migration between S5 and S7 systems while maintaining shielding integrity.

In summary, the SIEMENS 6ES7193-0CD40-7XA0 is a 40-point terminal block with a dedicated grounding rail that can be used to properly terminate and ground the shielding of field cables connected to both SIMATIC S5 and SIMATIC S7 I/O modules. It helps ensure effective EMI/EMC protection.

Accessories		
belongs to	ET	
product	200B	
Weights		
Weight, approx.	411 g	



VOBOAL Shenzhen Voboal Industrial Automation Co., Ltd.

Our Product Introduction

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen