

Germany SIEMENS

6ES7193-0CA10-0XA0

15,10 x 15,40 x 4,60

CE

1

USD

100

10-12Days

SIEMENS 6ES7193-0CA10-0XA0 SIMATIC ET200B TB1/DC TERMINAL BLOCK, 3-WIRE, SCREW

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: L/C, T/T
- Supply Ability:



Product Specification

Certifications:	CE, UL, CUL, FM, ATEX
 Protection Class: 	IP20
 Digital Outputs: 	8
 Analog Inputs: 	4
Dimensions:	71.5 X 80 X 62 Mm
 Power Supply: 	24 V DC
 Analog Outputs: 	2
 Programming Language: 	STEP 7
Memory:	256 KB
Weight:	0.3 Kg
 Digital Inputs: 	8
 Communication Ports: 	1 X RS485, 1 X Ethernet
 Operating Temperature: 	-25 To 60 Degrees Celsius

Our Product Introduction

Product Description

SIEMENS 6ES7193-0CA10-0XA0 SIMATIC ET200B TB1/DC TERMINAL BLOCK, 3-WIRE, SCREW Understood, let's take a look at the details for the Siemens 6ES7516-3AP03-0AB0 SIMATIC S7-1500 CPU: Key Specifications:

- Model Number: 6ES7516-3AP03-0AB0
- Product Name: SIMATIC S7-1500, CPU 1516-3 PN/DP

This is a central processing unit (CPU) from the Siemens SIMATIC S7-1500 controller family, specifically the 1516-3 PN/DP model.

The key details about this specific CPU module include:

1. CPU Model:

- The model is the SIMATIC S7-1500 CPU 1516-3 PN/DP.

2. Memory Card:

- Like other S7-1500 CPU models, this CPU requires the use of a SIMATIC memory card for program and data storage. 3. Approvals and Certificates:

- According to the information provided, this CPU model has specific approvals and certificates that need to be observed, as per entry 109817466 in the Siemens Support website.

4. Interfaces:

- The CPU has both PROFINET and PROFIBUS interfaces, providing connectivity to both network types.

5. Performance:

- The work memory capacity and bit performance specifications for this CPU model are not explicitly stated in the information provided.

6. Applications:

With the required SIMATIC memory card and the mixed PROFINET/PROFIBUS interfaces, this SIMATIC S7-1500 CPU 1516-3 PN/DP is well-suited for advanced industrial automation and control applications that require both network types. In summary, the key features of the Siemens 6ES7516-3AP03-0AB0 SIMATIC S7-1500 CPU 1516-3 PN/DP are:
 Requires a SIMATIC memory card for program and data storage

- Has specific approvals and certificates that need to be observed, as per Siemens Support entry 109817466
- Provides both PROFINET and PROFIBUS interfaces

- Suitable for advanced industrial automation and control applications requiring mixed network connectivity

Please let me know if you need any additional details or have further questions. I'd be happy to provide more information if you can share the specific details from entry 109817466 on the Siemens Support website.

ca

Product		
Article Number		
(Market Facing Number)	6ES7193-0CA10-0XA0	
Product Description	*** SPARE PART*** SIMATIC DP, TERMINAL BLOCK TB1/DC (ET 200B) FOR DIGITAL ELECTR. SUBMODULES WITH 3-WIRE	
	SCREW TERMINALS, W=160MM	
Product family	Not available	
Product Lifecycle		
(PLM)	PM500:Discontinued Product or end of PLM & Support	
PLM Effective Date	End of product lifecycle since: 01.10.2017	
Notes	Product was deleted without replacement	
INDIES	If you need assistance please contact our local Siemens office	
Price data		
Region Specific		
PriceGroup /	2AP/2AP	
Headquarter Price		
Group		
List Price	Show prices	
Customer Price	Show prices	
Surcharge for Raw	None	
Materials	None	
Metal Factor	None	
Delivery information		
Export Control	ECCN : N / AL : N	
Regulations		
Estimated dispatch	30 Day/Days	
time (Working Days)		
Net Weight (kg)	0,372 Kg	
Packaging Dimension	14,40 x 16,70 x 6,50	
Package size unit of	СМ	
measure		
Quantity Unit	0 Piece	
Packaging Quantity	1	
Additional Product Information		
EAN	4025515059516	
UPC	662643200140	
Commodity Code	85389099	
LKZ_FDB/ CatalogID	ST9-E5	
roduct Group 4467		
Group Code	R111	
Country of origin	Germany	
country of origin		

for more products please visit us on plcsimatic.com

