SIEMENS 6ES7952-1KM00-0AA0 SIMATIC S7, MEMORY CARD MEMORY CARD FOR S7-400, LONG DESIGN, 5V FLASH EPROM, 4 MBYTES

Our Product Introduction

Basic Information

- Place of Origin: Germany
- Brand Name: SIEMENS
- Certification: CE
- Model Number: 6ES7952-1KM00-0AA0
- Minimum Order Quantity: 1
- Price: USD
- Packaging Details: 9,30 x 13,40 x 1,50 CM
- Delivery Time: 10-12Days
- Payment Terms: L/C, T/T
- Supply Ability: 100PS

Product Specification

- Dimensions: 9,30 X 13,40 X 1,50 CM
- Screen Size: 7 Inches
- Number Of Digital Inputs: 32
- Redundancy: Hot Standby
- Temperature Range: -25 To 60 Degrees Celsius
- Touchscreen Type: Resistive
- Programming: STEP 7
- Certifications: CE, UL, CSA
- Manufacturer: Siemens
- Display Type: TFT LCD
- Programming Environment: STEP 7
- Maximum Memory: 256 KBYTE
- Display Resolution: 800 X 480 Pixels
- Backup Battery: Yes
- Cpu Speed: Up To 1.5 GHz

Product Description

SIEMENS 6ES7952-1KM00-0AA0 SIMATIC S7, MEMORY CARD MEMORY CARD FOR S7-400, LONG DESIGN, 5V FLASH EPROM, 4 MBYTES

Product Description:
The Siemens 6ES7952-1KM00-0AA0 is a SIMATIC S7 memory card designed for use with Siemens SIMATIC S7-400 programmable logic controllers (PLCs). This specific model features a long design and has a capacity of 4 Mbytes. The memory card is designed as a 5V Flash EPROM memory card, providing non-volatile memory storage for program code, data, and variables in the S7-400 PLC system. It allows for permanent storage of information and retains data even when power is disconnected.

Product Specifications:
- Model: 6ES7952-1KM00-0AA0
- Memory Card Type: 5V Flash EPROM memory card
- Memory Capacity: 4 Mbytes

Product Applications:
The 6ES7952-1KM00-0AA0 Flash EPROM memory card has various applications in Siemens SIMATIC S7-400 PLC systems, including:
1. Program Storage: The Flash EPROM memory card provides non-volatile storage for program code, allowing for permanent storage of the PLC program. It retains the program even during power loss and ensures that the program can be loaded upon system startup.
2. Data Storage: The Flash EPROM memory card can also be used for storing data and variables that need to be retained even when the system is powered off. This enables the preservation of critical data and parameters.
3. Firmware Updates: The Flash EPROM memory card can be utilized for firmware updates of the S7-400 PLC. It allows for easy and convenient installation of new firmware versions, enabling system enhancements and bug fixes.
4. Backup and Recovery: The Flash EPROM memory card can serve as a backup storage medium for critical program and data. In the event of a PLC failure or system crash, the backup can be used to restore the system to its previous state quickly.

Please note that the 6ES7952-1KM00-0AA0 Flash EPROM memory card is specifically designed for the S7-400 PLC series and may not be compatible with other Siemens PLC models. For detailed information on usage, installation, and compatibility, it is recommended to refer to the Siemens product documentation and consult their technical support for further assistance.

Product Article Number (Market Facing Number)	6ES7952-1KM00-0AA0
Product Description	SIMATIC S7, memory card for S7-400, long design, 5V Flash EPROM, 4 Mbytes
Product family	High-availability CPUs
Product Lifecycle (PLM)	PM300:Active Product
Price data	
Region Specific PriceGroup / Headquarter Price Group	240 / 240
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Materials	None
Metal Factor	None
Delivery information	
Export Control Regulations	AL : N / ECCN : 9N9999
Estimated dispatch time (Working Days)	5 Day/Days
Net Weight (kg)	0,043 Kg
Packaging Dimension	9,30 x 13,40 x 1,50
Package size unit of measure	CM
Quantity Unit	1 Piece
Packaging Quantity	1
Additional Product Information	
EAN	4019169009997
UPC	662643183320
Commodity Code	85235110
LKZ_FDB/ CatalogID	ST74
Product Group	4044
Group Code	R338
Country of origin	Germany

SIEMENS

MEMORY CARD
储存卡
5V FLASH 4 MBYTE / 16 BIT

PAP 20

SIMATIC S7-400

FS: 09
FW:

c (VL) US LISTED E223122
IND.CONT. EQ. for HAZ.LOC.:
CL.I, DIV.2, GP. A,B,C,D T4A
CL.I, Zone 2, GP. IIC, T4

CE Ex
II 3 G Ex ec IIC T4 Gc
DEKRA 21ATEX0010 X
IECEx DEK 21.0008X
DEKRA 21UKEX0018 X

FM
APPROVED
CL.I, DIV.2, GP. A,B,C,D T4A
CL.I, Zone 2, GP. IIC, T4
Ta: 0°C..+60°C

PACKAGING

1P 6ES7952-1KM00-0AA0   QTY:1

4 019169 009997

support.industry.siemens.com

UK CA Importer UK:
Siemens plc,
Manchester M20 2UR

EAC

KCC-REM-S49-S7400

质量检验合格

Siemens AG, DE-76181 Karlsruhe   Made in Germany 德国制造