SIEMENS 6ES7953-8LG11-0AA0 S7 MICRO MEMORY CARD F. S7-300/C7/ET 200S IM151 CPU, 3.3 V NFLASH, 128 KBYTES

Basic Information

Place of Origin: GermanyBrand Name: SIEMENSCertification: CE

Model Number: 6ES7953-8LG11-0AA0

Minimum Order Quantity: 1Price: USD

Packaging Details: 9,10 x 10,10 x 0,50CM

Delivery Time: 10-12Days
Payment Terms: L/C, T/T
Supply Ability: 100PS



Product Specification

Screen Size: 7 InchesBackup Battery: Yes

• Communication Interface: Ethernet, Profibus, MPI, RS232, RS485

Software Compatibility: STEP 7, TIA Portal
 Certifications: CE, UL, CSA, FM, ATEX

Processor Type: IM467
 Operating Temperature: 0-60°C
 Touchscreen Type: Resistive
 Mounting: Rack-mounted

• Humidity: 5% To 95% (non-condensing)

Cpu Model: S7-400 Protection Rating: IP20

• Software: WinCC Flexible Compact

Product Type: PLCMemory Size: 1 MB

Product Description

SIEMENS 6ES7953-8LG11-0AA0 S7 MICRO MEMORY CARD F. S7-300/C7/ET 200S IM151 CPU, 3.3 V NFLASH, 128 KBYTES

Okay, let's review the details for the Siemens 6ES7953-8LG11-0AA0 S7 micro memory card:

1. Product Name:

- Siemens 6ES7953-8LG11-0AA0 S7 Micro Memory Card

2. Product Description:

- This is a Siemens S7 micro memory card designed for use with the following Siemens products:
- S7-300 CPUs
- C7 controllers
- ET 200S IM151 CPUs

3. Key Features:

- Provides non-volatile flash memory storage
- Allows program and data storage for the compatible Siemens devices
- Enables program and data backup and restoration

4. Technical Specifications:

- Memory type: 3.3V NFLASH (non-volatile flash memory)
- Memory capacity: 128 kBytes
- Dimensions (W x H x D): 24 mm x 24 mm x 6 mm

5. Compatibility:

- This S7 micro memory card is compatible with the following Siemens devices:
- S7-300 CPUs
- C7 controllers
- ET 200S IM151 CPUs

6. Applications:

- Program and data storage for the compatible Siemens devices
- Program and data backup and restoration
- Firmware updates and configuration changes

7. Installation and Usage:

- The S7 micro memory card can be inserted into the designated slot on the compatible Siemens devices.
- It can be used to load, store, and transfer program and configuration data between the device and the memory card.
- The memory card can be used for program and data backup, as well as for restoring the device configuration.


8. Certifications and Approvals:

- The Siemens 6ES7953-8LG11-0AA0 S7 micro memory card is designed to meet relevant industrial standards and regulations, such as CE marking, but the exact certifications may vary based on the specific model and region of use.

Please let me know if you need any additional information or have further questions.

Product	
Article Number	6ES7953-8LG11-0AA0
Product Description	*** SPARE PART*** SIMATIC S7, MICRO MEMORY CARD F. S7- 300/C7/ET 200S IM151 CPU, 3.3 V NFLASH, 128 KBYTES
Product family	Not available
Product Lifecycle (PLM)	PM500:Discontinued Product or end of PLM & Support
PLM Effective Date	End of product lifecycle since: 01.10.2017
Notes	Product is no longer available. Successor: 6ES7953-8LG31-0AA0 Compare Products
Successor information	1
Successor	6ES7953-8LG31-0AA0
Successor	SIMATIC S7, Micro Memory Card for S7-300/C7/ET 200, 3, 3V
Description	Nflash, 128 KB
Price data	
Price Group	2AP
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Material	see also metal factor (further details are available on the help page)
Metal Factor	see also metal factor (further details are available on the help page)
Delivery information	
Export Control Regulations	ECCN: N/AL: N
Estimated dispatch time (Working Days)	1 Day(s)
Net Weight (kg)	0,018 Kg
Packaging Dimension	9,10 x 10,10 x 0,50
	•

Package size unit of measure	СМ
Quantity Unit	0 Piece
Packaging Quantity	1
Additional Product Information	
EAN	4025515070757
UPC	662643171457
1	85235110
LKZ_FDB/ CatalogID	ST9-E5
	4564
Group Code	R111
Country of origin	Germany





VOBOAL Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017



sale@voboal.com



plcsimatic.com

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen