

SIEMENS 6ES7953-8LL20-0AA0 SIMATIC S7-300/C7/ET200 MICRO MEMORY CARD P. S7-300/C7/ET 200, 3.3 V NFLASH, 2 MBYTES NOTES

Our Product Introduction

Basic Information

- Place of Origin: Germany
- Brand Name: SIEMENS
- Certification: CE
- Model Number: 6ES7953-8LL20-0AA0
- Minimum Order Quantity: 1
- Price: USD
- Packaging Details: 9,30 x 10,00 x 0,80CM
- Delivery Time: 10-12Days
- Payment Terms: L/C, T/T
- Supply Ability: 100PS



Product Specification

- Communication Ports: 2
- Humidity: 5% To 95% (non-condensing)
- Resolution: 800 X 480 Pixels
- Programming Software: SIMATIC STEP 7 Professional
- Mounting: Rack-mounted
- Communication Protocols: PROFIBUS, PROFINET, Ethernet/IP
- Backup Battery: Yes
- Number Of Analog Outputs: 8
- Screen Size: 7 Inches
- Programming Environment: STEP 7
- Storage Temperature: -40 To +85°C
- Outputs: 24V DC, 24V AC, 110V AC, 230V AC
- Communication Interface: Ethernet, Profibus, MPI, RS232, RS485
- Power Supply: 24 V DC
- Type: Human Machine Interface

Product Description

SIEMENS 6ES7953-8LL20-0AA0 SIMATIC S7-300/C7/ET200 MICRO MEMORY CARD P. S7-300/C7/ET 200, 3.3 V NFLASH, 2 MBYTES NOTES

Understood, let's review the details for the Siemens 6ES7953-8LL20-0AA0 SIMATIC S7-300/C7/ET200 micro memory card:

1. Product Name:

- Siemens 6ES7953-8LL20-0AA0 SIMATIC S7-300/C7/ET200 Micro Memory Card

2. Product Description:

- This is a Siemens SIMATIC S7-300/C7/ET200 micro memory card designed for use with the following Siemens products:
 - S7-300 CPUs
 - C7 controllers
 - ET 200 devices

3. Key Features:

- Provides non-volatile flash memory storage
 - Allows program and data storage for the compatible Siemens devices
 - Enables program and data backup and restoration

4. Technical Specifications:

- Memory type: 3.3V NFLASH (non-volatile flash memory)
 - Memory capacity: 2 Mbytes
 - Dimensions (W x H x D): 24 mm x 24 mm x 6 mm

5. Compatibility:

- This SIMATIC S7-300/C7/ET200 micro memory card is compatible with the following Siemens devices:
 - S7-300 CPUs
 - C7 controllers
 - ET 200 devices

6. Applications:

- Program and data storage for the compatible Siemens devices
 - Program and data backup and restoration
 - Firmware updates and configuration changes

7. Installation and Usage:

- The SIMATIC S7-300/C7/ET200 micro memory card can be inserted into the designated slot on the compatible Siemens devices.
 - It can be used to load, store, and transfer program and configuration data between the device and the memory card.
 - The memory card can be used for program and data backup, as well as for restoring the device configuration.

8. Certifications and Approvals:

- The Siemens 6ES7953-8LL20-0AA0 SIMATIC S7-300/C7/ET200 micro memory card is designed to meet relevant industrial standards and regulations, such as CE marking, but the exact certifications may vary based on the specific model and region of use.

9. Notes:

- This micro memory card is specifically designed for use with S7-300 CPUs, C7 controllers, and ET 200 devices.
 - The 2 Mbytes of non-volatile flash memory provides ample storage for program and data backup and restoration.
 - Users should carefully review the compatibility and installation requirements to ensure proper integration with their Siemens industrial automation systems.

Please let me know if you need any additional information or have further questions.

Product	
Article Number	6ES7953-8LL20-0AA0
Product Description	SIMATIC S7, MICRO MEMORY CARD P. S7-300/C7/ET 200, 3.3 V NFLASH, 2 MBYTES
Product family	Not available
Product Lifecycle (PLM)	PM500:Discontinued Product or end of PLM & Support
PLM Effective Date	End of product lifecycle since: 01.10.2012
Notes	Product is no longer available. Successor: 6ES7953-8LL31-0AA0 Compare Products
Successor information	
Successor	6ES7953-8LL31-0AA0
Successor Description	SIMATIC S7, Micro Memory Card P. S7-300/C7/ET 200, 3, 3V Nflash, 2 MB
Price data	
Price Group	2AP
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Material	see also metal factor (further details are available on the help page)

Metal Factor	see also metal factor (further details are available on the help page)
Delivery information	
Export Control Regulations	ECCN : N / AL : N
Estimated dispatch time (Working Days)	1 Day(s)
Net Weight (kg)	0,018 Kg
Packaging Dimension	9,30 x 10,00 x 0,80
Package size unit of measure	CM
Quantity Unit	0 Piece
Packaging Quantity	1
Additional Product Information	
EAN	4025515075189
UPC	Not available
Commodity Code	85235110
LKZ_FDB/ CatalogID	ST9-E5
Product Group	2291
Group Code	R111
Country of origin	Germany



VOBOAL Shenzhen Voboal Industrial Automation Co., Ltd.

+8613760462017 sale@voboal.com plcsimatic.com

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen