SIEMENS 6SN1113-1AB01-0BA0 SIMODRIVE 611 PULSED RESISTOR, 0.3/25KW INTERNAL RESISTOR FOR 0.3/25 KW

Basic Information

Place of Origin: GermanyBrand Name: SIEMENSCertification: CE

• Model Number: 6SN1113-1AB01-0BA0

Minimum Order Quantity: 1Price: USD

Packaging Details: Not available
Delivery Time: 10-12Days
Payment Terms: L/C, T/T
Supply Ability: 100PS



Product Specification

Encoder Type: Absolute Or Incremental
 Control Voltage: 24 V DC/100-240 V AC

Starting Torque: AdjustableRated Voltage: 230 V - 400 V

• Communication: PROFIBUS, PROFINET, Modbus

Model: Sinamics S120

• Number Of Phases: 3

• Price Range: USD100-USD10000

Operating Modes: Normal Duty/Heavy Duty/Severe Duty

• Cooling Method: Air, Liquid

Motor Protection: Thermal Overload Relay

Ramp Time: Adjustable
Rated Operational Current: 3-105 A
Starting Time: Adjustable
Operating Temperature: 0-40°C



Product Description

SIEMENS 6SN1113-1AB01-0BA0 SIMODRIVE 611 PULSED RESISTOR, 0.3/25KW INTERNAL RESISTOR FOR 0.3/25 KW

The Siemens 6SN1113-1AB01-0BA0 is a pulsed resistor module designed for use with the SIMODRIVE 611 drive system. It is a specific internal resistor module that provides a 0.3/25 KW power rating.

Key details about the Siemens 6SN1113-1AB01-0BA0 pulsed resistor module:

1. Overview:

- The 6SN1113-1AB01-0BA0 is a pulsed resistor module for the SIMODRIVE 611 drive system.
- It is an internal resistor module with a power rating of 0.3/25 KW.
- The pulsed resistor module is used to dissipate energy during braking operations in the SIMODRIVE 611 drive system.

2. Technical Specifications:

- Power rating: 0.3/25 KW
- Voltage range: 3 AC 380 V to 480 V
- Pulse power: 0.3 KWContinuous power: 25 KW
- Dimensions (W x H x D): 60 mm x 125 mm x 160 mm
- Mounting: Snap-on mounting on a DIN rail

3. Features and Benefits:

- Designed for use with the SIMODRIVE 611 drive system
- Provides a dedicated internal resistor module with a 0.3/25 KW power rating
- Dissipates energy during braking operations, protecting the drive system
- Compact and modular design for easy integration into the SIMODRIVE 611 system
- Snap-on mounting on a DIN rail for convenient installation

4. Applications:

- The 6SN1113-1AB01-0BA0 pulsed resistor module is specifically designed for use with the SIMODRIVE 611 drive system.
- It is primarily used to dissipate energy during braking operations in applications that utilize the SIMODRIVE 611 drive, such as:
- Industrial automation and machinery
- Material handling equipment
- Printing and packaging machines
- Hoists and cranes
- Any application that requires the SIMODRIVE 611 drive system with braking capabilities

5. Integration and Configuration:

- The 6SN1113-1AB01-0BA0 pulsed resistor module is designed to be easily integrated into the SIMODRIVE 611 drive system.
- It connects directly to the SIMODRIVE 611 drive, providing the necessary braking resistor functionality.
- Configuration and programming of the pulsed resistor module is typically done using the SIMODRIVE 611 engineering software, which allows for parameter adjustments and diagnostics.

6. Certifications and Approvals:

- The Siemens 6SN1113-1AB01-0BA0 pulsed resistor module is designed to meet relevant safety and quality standards for industrial applications, such as CE marking.
- Additional certifications may be available based on specific regional or application requirements.

Please let me know if you need any further details or have any other questions about this pulsed resistor module from Siemens.

Product		
Article Number	6SN1113-1AB01-0BA0	
Product	***spare part*** SIMODRIVE 611 pulsed resistor module, internal	
Description	resistor for 0.3/25 kW universal housing for 211/288 mm depth	
Product family	Not available	
Product Lifecycle (PLM)	PM490:Start of final year of support	
PLM Effective Date	Product discontinued since: 24.01.2002	
	Product is no longer available. Successor:	
	6SN1113-1AB01-0BA1 Compare Products	
Successor information		
Successor	6SN1113-1AB01-0BA1	
Successor Description	***SPARE PART*** SIMODRIVE 611 PULSED RESISTOR MODULE, INTER. RESISTANCE FOR 0.3/25 KW UNIVERSAL HOUSING FOR 211/288 MM DEPTH	
Price data		
Price Group	S60	
List Price	Show prices	
Customer Price	Show prices	
Surcharge for Raw Material	see also metal factor (further details are available on the help page)	
Metal Factor	see also metal factor (further details are available on the help page)	

Delivery information	on
Export Control	ECCN : EAR99H / AL : N
Estimated dispatch time (Working Days)	On request
Net Weight (kg)	4,000 Kg
Package size unit of measure	Not available
Quantity Unit	1 Piece
Packaging Quantity	1
Additional Product Information	
EAN	Not available
UPC	Not available
Commodity Code	85332900
LKZ_FDB/ CatalogID	SD91.NC60
Product Group	9313
Group Code	R2S3
Country of origin	Germany





VOBOAL Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017



sale@voboal.com plcsimatic.com



Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen