Shenzhen Voboal Industrial Automation Co

Germany

SIEMENS

6ES7121-1BB00-0AA0

7,40 x 8,60 x 5,90CM

CE

1

USD

10-12Days

100PS

## SIEMENS 6ES7121-1BB00-0AA0 SIMATIC SC, ELECTRONIC SUBMODULE ELECTRONIC SUBMODULE 2 DI, 24 V DC

## **Basic Information**

plcsimatic.com

- Place of Origin:
- Brand Name:
- Certification:

VOBOAL

- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: L/C, T/T
- Supply Ability:



## **Product Specification**

<ul> <li>Digital Inputs:</li> </ul>	8
Software:	STEP 7 Basic V13
<ul> <li>Warranty:</li> </ul>	1 Year
<ul> <li>Power Consumption:</li> </ul>	Max. 100 MA
<ul> <li>Digital Outputs:</li> </ul>	8
Communication Protocols:	PROFINET, PROFIBUS, Ethernet/IP
Processor:	ARM Cortex A8
Memory:	1 MB
<ul> <li>Protection Class:</li> </ul>	IP20
• Usb:	1
<ul> <li>Power Supply:</li> </ul>	24 VDC
Range:	Simatic S7
<ul> <li>Display Resolution:</li> </ul>	800 X 480 Pixels
<ul> <li>Input Voltage:</li> </ul>	24V DC
Country Of Origin:	Germany

## **Product Description**

SIEMENS 6ES7121-1BB00-0AA0 SIMATIC SC, ELECTRONIC SUBMODULE ELECTRONIC SUBMODULE 2 DI, 24 V DC

here are the details on the Siemens 6ES7121-1BB00-0AA0 SIMATIC SC electronic submodule with 2 digital inputs, 24V DC:

Product Details:

- Model Number: 6ES7121-1BB00-0AA0
- Product Name: SIMATIC SC, Electronic Submodule 2 DI, 24V DC

Description:

- Electronic submodule for the SIMATIC SC distributed I/O system
- Provides 2 digital input channels with 24V DC input voltage
- Allows expansion of the digital input capacity of the system

Key Features:

- Part of the Siemens SIMATIC SC distributed I/O system
- 2 digital input channels
- 24V DC input voltage
- Can be connected to the main SIMATIC SC station or base module
- Robust, industrial-grade design for harsh environments
- Supports connection of field devices and sensors - Provides additional digital input capacity beyond the core module
- Some key details about this electronic submodule:
- Adds 2 additional 24V DC digital input channels to the SIMATIC SC system
- Can be easily connected to the main station or base module
- Allows the system's digital input capacity to be expanded as needed
- Supports a wide range of 24V DC field devices and sensors
- Rugged, industrial construction for reliable operation

This 2-channel 24V DC digital input submodule is a useful accessory to expand the I/O capabilities of a SIMATIC SC distributed control system. It provides additional digital input capacity in an easy-to-integrate package.

Let me know if you need any other details on this Siemens SIMATIC SC electronic submodule.

Product		
Article Number	6ES7121-1BB00-0AA0	
	*** SPARE PART*** SIMATIC SC,ELECTRONIC SUBMODULE 2	
Product Description	DI, 24 V DC; 8 PIECES PER PACKAGING UNIT	
Product family	Not available	
Product Lifecycle (PLM)	PM500:Discontinued Product or end of PLM & Support	
PLM Effective Date	End of product lifecycle since: 01.10.2017	
Notes	Product was deleted without replacement. If you need assistance please contact our local Siemens office	
Price data		
Price Group	2AP	
List Price	Show prices	
Customer Price	Show prices	
Surcharge for Raw	see also metal factor (further details are available on the help	
Material	page)	
Metal Factor	see also metal factor (further details are available on the help page)	
Delivery information		
Export Control Regulations	ECCN : N / AL : N	
Estimated dispatch		
time (Working Days)	30 Day(s)	
Net Weight (kg)	0,150 Kg	
Packaging Dimension	7,40 x 8,60 x 5,90	
Package size unit of measure	СМ	
Quantity Unit	0 Package	
Packaging Quantity	8	
Additional Product Information		
EAN	4025515057703	
UPC	662643191561	
Commodity Code	85389091	
LKZ_FDB/ CatalogID	ST9-E5	
Product Group	4467	
Group Code	R111	
Country of origin	Germany	



Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen