

SIEMENS 6ES7131-4BB00-0AB0 SIMATIC ET200S DIGITAL INPUT MODULE, 2-P, 24VDC 5 ELECTRON. MODULES FOR ET 200S

Basic Information

- Place of Origin: Germany
- Brand Name: SIEMENS
- Certification: CE
- Model Number: 6ES7131-4BB00-0AB0
- Minimum Order Quantity: 1
- Price: USD
- Packaging Details: 8,30 x 9,10 x 6,20CM
- Delivery Time: 10-12Days
- Payment Terms: L/C, T/T
- Supply Ability: 100PS



Product Specification

- Operating Temperature: -25°C To +60°C
- Product Group: 3740
- Communication Protocol: PROFINET
- Integrated Data Logging: Yes
- Maximum Memory: 1 MB
- Serial: 1
- Power Consumption: Max. 100 MA
- Integrated Web Server: Yes
- Protection Class Ip: IP30
- Display Size: 7 Inch
- Power Supply: 24V DC
- Communication Protocols: PROFINET, PROFIBUS, Modbus TCP
- Cpu Type: CPU 1214C
- Analog Outputs: 8
- Certifications: CE, UL, CSA

Product Description

SIEMENS 6ES7131-4BB00-0AB0 SIMATIC ET200S DIGITAL INPUT MODULE, 2-P, 24VDC 5 ELECTRON. MODULES FOR ET 200S

Here are the key details on the Siemens 6ES7131-4BB00-0AB0 SIMATIC ET200S Digital Input Module:

Product Details:

- Model Number: 6ES7131-4BB00-0AB0
- Product Name: SIMATIC ET200S Digital Input Module, 2-P, 24VDC

Description:

The Siemens 6ES7131-4BB00-0AB0 is a set of 5 digital input modules for the SIMATIC ET200S distributed I/O system. Each module provides 2 digital input channels with a nominal input voltage of 24V DC.

Key Features:

- 5 digital input modules in the package
- 2 digital input channels per module
- Nominal input voltage: 24V DC
- Digital input modules for ET200S
- Supports SIMATIC ET200S distributed I/O system
- Compact, space-saving design
- Screw terminals for connections
- Integrated diagnostics and status LEDs

Detailed Specifications:

- Number of Digital Inputs per Module: 2
- Input Voltage: 24V DC
- Input Delay Time: 0.1 ms
- Dimensions (W x H x D) per Module: 15 x 81 x 52 mm
- Mounting: DIN rail
- Connections: Screw terminals
- Operating Temperature: 0°C to +60°C
- Approvals: CE, UL, cUL

The Siemens 6ES7131-4BB00-0AB0 SIMATIC ET200S Digital Input Module is a compact and versatile digital input module designed for use in the SIMATIC ET200S distributed I/O system. Each module provides 2 digital input channels with a nominal input voltage of 24V DC.

These digital input modules are suitable for a wide range of industrial automation and control applications, such as:

- Process automation
- Factory automation
- Building automation
- Machine control
- Conveyor systems
- Other industrial applications requiring a high-density 24V DC digital input interface

The compact design and DIN rail mounting allow the digital input modules to be easily integrated into the SIMATIC ET200S distributed I/O system, providing a flexible and scalable solution for industrial control and monitoring applications.

Please note that proper selection, installation, and configuration of the digital input modules is important to ensure their optimal performance and compatibility with the specific automation system and application requirements. It is recommended to consult with Siemens or a qualified automation engineer for guidance on the selection and use of these SIMATIC ET200S digital input modules.

Product	
Article Number	6ES7131-4BB00-0AB0
Product Description	SIMATIC DP, 5 ELECTRON. MODULES FOR ET 200S, 2 DI HIGH FEATURE 24V DC, 15 MM WIDTH WITH PARAM. F. INPUT DELAY DIAGNOSIS F. ENCODER SHORT- CIRCUIT W. LED SF (GROUP FAULT) 5 PIECES PER PACKAGING UNIT
Product family	Not available
Product Lifecycle (PLM)	PM500:Discontinued Product or end of PLM & Support
PLM Effective Date	End of product lifecycle since: 01.10.2011
Notes	Product is no longer available. Successor: 6ES7131-4BB01-0AB0 Compare Products
Successor information	
Successor	6ES7131-4BB01-0AB0
Successor Description	*** Spare part *** SIMATIC DP, 5 electronic modules for ET 200S, 2 DI High Feature 24 V DC, 15 mm width, with param. input delay Diagnostics encoder short circuit with SF LED (group fault) 5 units per packing unit
Price data	

Price Group	2AP
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Material	see also metal factor (further details are available on the help page)
Metal Factor	see also metal factor (further details are available on the help page)
Delivery information	
Export Control Regulations	ECCN : N / AL : N
Estimated dispatch time (Working Days)	1 Day(s)
Net Weight (kg)	0,181 Kg
Packaging Dimension	8,30 x 9,10 x 6,20
Package size unit of measure	CM
Quantity Unit	0 Package
Packaging Quantity	5
Additional Product Information	
EAN	4025515058045
UPC	Not available
Commodity Code	85389091
LKZ_FDB/CatalogID	ST9-E5
Product Group	2301
Group Code	R111
Country of origin	Germany





Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017



sale@voboal.com



plcsimatic.com

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen