

**SIEMENS 6ES7131-4CD00-0AB0 ET200S, EL-MOD., 4DI, UC 24-48V, 5 PCS
MODULES ET 200S: 4DI UC 24V...48V**

Our Product Introduction

Basic Information

- Place of Origin: Germany
- Brand Name: SIEMENS
- Certification: CE
- Model Number: 6ES7131-4CD00-0AB0
- Minimum Order Quantity: 1
- Price: USD
- Packaging Details: 8,30 x 9,10 x 6,30CM
- Delivery Time: 10-12Days
- Payment Terms: L/C, T/T
- Supply Ability: 100PS

**Product Specification**

- Memory: 2 MB
- Communication Protocol: PROFIBUS, PROFINET, Ethernet/IP
- Power Consumption: Max. 100 MA
- Range: Simatic S7
- Number Of Analog Outputs: 4
- Integrated Motion Control: Yes
- Memory Size: 75 KB
- Touchscreen Type: Resistive
- Manufacturer: Siemens
- Number Of Digital Inputs: 16
- Display Size: 7 Inch
- Power Supply: 24V DC
- Model: ET200MP
- Processor: ARM Cortex A8
- Input Voltage: 24 V DC

Product Description

SIEMENS 6ES7131-4CD00-0AB0 ET200S, EL-MOD., 4DI, UC 24-48V, 5 PCS MODULES ET 200S: 4DI UC 24V...48V

Here are the key details on the Siemens 6ES7131-4CD00-0AB0 ET200S, Electronic Module, 4DI Universal 24-48V DC:

Product Details:

- Model Number: 6ES7131-4CD00-0AB0
- Product Name: ET200S, Electronic Module, 4DI Universal 24-48V DC

Description:

The Siemens 6ES7131-4CD00-0AB0 is an electronic module for the SIMATIC ET200S distributed I/O system. The module provides 4 universal digital input channels that support a wide input voltage range of 24-48V DC.

Key Features:

- 4 universal digital input channels per module
- Supports 24-48V DC input voltage range
- Compact, 15mm wide design
- Suitable for SIMATIC ET200S distributed I/O system
- Screw terminals for connections
- Integrated diagnostics and status LEDs

Detailed Specifications:

- Number of Digital Inputs per Module: 4
- Input Voltage Range: 24-48V DC
- Input Delay Time: 3.2 ms
- Dimensions (W x H x D): 15 x 81 x 52 mm
- Mounting: DIN rail
- Connections: Screw terminals
- Operating Temperature: 0°C to +60°C
- Approvals: CE, UL, cUL

The Siemens 6ES7131-4CD00-0AB0 ET200S, Electronic Module, 4DI Universal 24-48V DC is a digital input module designed for use in the SIMATIC ET200S distributed I/O system. Each module provides 4 universal digital input channels that can accept a wide range of input voltages from 24V DC to 48V DC.

This universal input voltage range makes the module suitable for a variety of industrial automation and control applications where the input signals may vary in their voltage levels, such as:

- Process automation
- Factory automation
- Machine control
- Conveyor systems
- Building automation
- Other applications requiring a flexible 24-48V DC digital input interface

The compact, 15mm wide design allows the digital input module to be efficiently integrated into the SIMATIC ET200S distributed I/O system, providing a scalable and versatile solution for industrial control and monitoring applications.

Please note that proper selection, installation, and configuration of the digital input modules is important to ensure their optimal performance and compatibility with the specific automation system and application requirements. It is recommended to consult with Siemens or a qualified automation engineer for guidance on the selection and use of these SIMATIC ET200S "4DI Universal 24-48V DC" electronic modules.

Product	
Article Number	6ES7131-4CD00-0AB0
Product Description	SIMATIC DP, 5 ELECTRON. MODULES ET 200S: 4DI UC 24V...48V, 15 MM WIDTH, WITH LED SF (GROUP FAULT), 5 PIECES PER PACKAGING UNIT
Product family	Not available
Product Lifecycle (PLM)	PM500:Discontinued Product or end of PLM & Support
PLM Effective Date	End of product lifecycle since: 01.10.2012
Notes	Product is no longer available. Successor: 6ES7131-4CD02-0AB0 Compare Products
Successor information	
Successor	6ES7131-4CD02-0AB0
Successor Description	*** Spare part *** SIMATIC DP, 5 electronic modules ET 200S: 4 DI 24 V...48 V UI, 15 mm width, with SF LED (group fault) 5 units per packing unit
Price data	
Price Group	2AP
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Material	see also metal factor (further details are available on the help page)

Metal Factor	see also metal factor (further details are available on the help page)
Delivery information	
Export Control Regulations	ECCN : EAR99H / AL : N
Estimated dispatch time (Working Days)	1 Day(s)
Net Weight (kg)	0,195 Kg
Packaging Dimension	8,30 x 9,10 x 6,30
Package size unit of measure	CM
Quantity Unit	0 Package
Packaging Quantity	5
Additional Product Information	
EAN	4019169350389
UPC	Not available
Commodity Code	85389091
LKZ_FDB/CatalogID	ST9-E5
Product Group	2301
Group Code	R111
Country of origin	Germany



Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017



sale@voboal.com



plcsimatic.com

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen