Germany

SIEMENS

6ES7131-4RD00-0AB0

6,60 x 9,30 x 2,30CM

CE

1

USD

10-12Days

100PS

SIEMENS 6ES7131-4RD00-0AB0 ET200S, EL-MOD., 4DI 24V DC NAMUR 15 MM WIDTH, WITH LED SF (GROUP FAULT),

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: L/C, T/T
- Supply Ability:



Product Specification

 Storage Temperature: 	-40 To 70°C
 Type Of Product: 	Analog Modules
 Protection Rating: 	IP20
Communication Protocol:	PROFINET
 Integrated Web Server: 	Yes
• Model:	S7-1500
• Subrange:	S7-300
 Digital Outputs: 	16
 Operating Voltage: 	24V DC
 Input Voltage: 	24 V DC
 Power Consumption: 	Max. 100 MA
 Operating System: 	TIA Portal
 Memory: 	64 KB
 Operating Temperature: 	-25 To 60°C
 Dimensions: 	6,60 X 9,30 X 2,30CM

Our Product Introduction

Product Description

SIEMENS 6ES7131-4RD00-0AB0 ET200S, EL-MOD., 4DI 24V DC NAMUR 15 MM WIDTH, WITH LED SF (GROUP FAULT),

The Siemens 6ES7131-4RD00-0AB0 is an electronic module designed for the Siemens ET 200S system. This module features four digital input channels that are compatible with NAMUR sensors operating at 24V DC. It has a slim width of 15mm and includes LEDs for status indication, including group fault signaling.

Product Description:

- **Model:** 6ES7131-4RD00-0AB0

- **Product:** ET 200S Electronic Module

- **Input Type:** 4 Digital Inputs (24V DC, NAMUR)

- **Width:** 15mm

- **LED Status Indication:** Includes LEDs for indicating status, including group fault signaling

**Key Features:*

1. **Digital Inputs:** Four digital input channels designed for use with NAMUR sensors operating at 24V DC.

- 2. **Compact Design:** Slim 15mm width that helps optimize space in the control cabinet.
- 3. **LED Indicators:** Equipped with LEDs for providing visual status feedback, including group fault indication. **Applications:**

1. **Industrial Automation:** Suitable for industrial automation applications that require digital input signals from NAMUR sensors.

 Process Control: Ideal for process control systems where monitoring NAMUR sensor signals is essential.
 Fault Monitoring: The group fault LED feature aids in quickly identifying and addressing faults within the system. For detailed installation instructions, configuration guidance, and compatibility information, please refer to the product

documentation provided by Siemens. Additionally, Siemens' technical support can provide further assistance in integrating the 6ES7131-4RD00-0AB0 electronic module into your specific industrial automation system.

Product	
Article Number	6ES7131-4RD00-0AB0
Product Description	SIMATIC DP, 1 ELECTRON. MODULE ET 200S: 4DI DC 24V NAMUR, 15 MM WIDTH, WITH LED SF (GROUP FAULT),
Product family	Not available
Product Lifecycle (PLM)	PM500:Discontinued Product or end of PLM & Support
PLM Effective Date	End of product lifecycle since: 01.10.2012
Notes	Product is no longer available. Successor: 6ES7131-4RD02-0AB0 Compare Products
Successor information	
Successor	6ES7131-4RD02-0AB0
Successor Description	*** Spare part *** Electronics module ET 200S: 4 DI 24 V DC NAMUR, 15 mm width, with SF LED (group fault)
Price data	
Price Group	2AP
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Material	see also metal factor (further details are available on the help page)
Metal Factor	see also metal factor (further details are available on the help page)
Delivery information	
Export Control Regulations	ECCN : EAR99H / AL : N
Estimated dispatch time (Working Days)	1 Day(s)
Net Weight (kg)	0,045 Kg
Packaging Dimension 6,60 x 9,30 x 2,30	
Package size unit of measure	СМ
Quantity Unit	0 Piece
Packaging Quantity	1
Additional Product Information	
	4025515069720
UPC	Not available
Commodity Code	85389091
	ST9-E5
	2301
Group Code	R111
Country of origin	Germany

