SIEMENS 6ES7132-1BH10-0XB0 ET200L, EL-BLOCK, 16DO, 24VDC, 0,5A, EXP.16 DO, 24V DC, EXPANDABLE WITH MAX. 16 CHANNELS W.

Basic Information

Place of Origin: Germany
Brand Name: SIEMENS
Certification: CE

Model Number: 6ES7132-1BH10-0XB0

Minimum Order Quantity: 1Price: USD

• Packaging Details: 7,30 x 15,20 x 6,80CM

Delivery Time: 10-12Days
Payment Terms: L/C, T/T
Supply Ability: 100PS



Product Specification

• Integrated Data Logging: Yes

• Communication Protocols: PROFIBUS, PROFINET, Modbus TCP

Subrange: S7-300
Group Code: R711
Cpu Type: 1511
Display Size: 7 Inch

Certifications:
 CE, UL, CUL, ATEX, FM, KC

Serial:1

Touchscreen Type: Resistive Digital Outputs: 16

• Dimensions: 7,30 X 15,20 X 6,80CM

• Number Of Analog Inputs: 8

• Communication Interfaces: Ethernet, USB, RS232/485

Product Group: 3740 Analog Outputs: 8

Product Description

SIEMENS 6ES7132-1BH10-0XB0 ET200L, EL-BLOCK, 16DO, 24VDC, 0,5A, EXP.16 DO, 24V DC, EXPANDABLE WITH MAX. 16 CHANNELS W.

The Siemens 6ES7132-1BH10-0XB0 is an electronic block for the ET 200L system, serving as a digital output module. This module offers 16 digital output channels operating at 24VDC with a current rating of 0.5A per output. Additionally, it provides expansion capabilities for an additional 16 digital output channels at 24VDC, making it expandable with a maximum of 16 channels.

- **Product Description:**
- **Model:** 6ES7132-1BH10-0XB0
- **Product Type:** Electronic Block for ET 200L
- **Functionality:** 16 Digital Outputs, expandable with 16 additional channels
- **Voltage:** 24VDC
- **Current Rating:** 0.5A per output
- **Key Features:**
- 1. **Digital Outputs:** Includes 16 digital output channels for controlling external devices.
- 2. **Expansion Capability:** Can be expanded with a maximum of 16 additional digital output channels.

 3. **Voltage Compatibility:** Operates with 24VDC output signals.
- 4. **Current Rating:** Each output supports a current of up to 0.5A.
- **Applications:*'
- 1. **Industrial Automation:** Suitable for various industrial automation applications requiring digital output control.
- 2. **Expansion Flexibility:** Provides the option to expand the number of output channels as needed.
- 3. **ET 200L Integration:** Designed for integration within the Siemens ET 200L system.

For detailed installation instructions, configuration settings, and operational guidelines for the 6ES7132-1BH10-0XB0 Electronic Block, please consult the product documentation provided by Siemens. Siemens' technical support can offer further guidance on integrating and utilizing this module effectively within your ET 200L system, especially when expanding the digital output capabilities.

Product	
Article Number 6ES7132-1BH10-0XB0	
Product Description	SIMATIC S7, ELECTRONIC BLOCK FOR ET 200L, DIGITAL, 16 DO, 24V DC, EXPANDABLE WITH MAX. 16 CHANNELS W. TERM. BLOCK TB 16SC OF SMART CONNECT
Product family	Not available
Product Lifecycle (PLM)	PM500:Discontinued Product or end of PLM & Support
PLM Effective Date	End of product lifecycle since: 01.10.2010
Notes	Product was deleted without replacement. If you need assistance please contact our local Siemens office
Price data	
Price Group	2AP
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Material	see also metal factor (further details are available on the help page)
Metal Factor	see also metal factor (further details are available on the help page)
Delivery information	
Export Control Regulations	ECCN: EAR99H / AL: N
Estimated dispatch time (Working Days)	1 Day(s)
Net Weight (kg)	0,200 Kg
Packaging Dimension	7,30 x 15,20 x 6,80
Package size unit of measure	СМ
Quantity Unit	0 Piece
Packaging Quantity	1
Additional Product Information	
EAN	4025515058182
UPC	Not available
Commodity Code	85389091
LKZ_FDB/ CatalogID	ST9-E5
	2301
Group Code	R111
Country of origin Germany	



VOBOAL Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017



sale@voboal.com



plcsimatic.com

 $Sienteng\ Zhongbao\ Industrial\ Park, Longdong\ Community,\ Baolong\ Street,\ Longgang\ District,\ Shenzhen$