

SIEMENS 6ES7315-2EG10-0AB0SIMATIC S7-300 CPU 315-2 PN/DP, CENTRAL PROCESSING UNIT WITH 128 KBYTE WORKING MEMORY

Basic Information

- Place of Origin: Germany
- Brand Name: SIEMENS
- Certification: CE
- Model Number: 6ES7315-2EG10-0AB0
- Minimum Order Quantity: 1
- Price: USD
- Packaging Details: 13,10 x 15,40 x 8,80CM
- Delivery Time: 10-12Days
- Payment Terms: L/C, T/T
- Supply Ability: 100PS



Product Specification

- Number Of Analog Outputs: 2/4/8
- Protection Rating: IP65
- Communication Protocol: PROFINET
- Expansion Modules: Yes
- Touchscreen: Yes
- Temperature Range: -20 To 60 Degrees Celsius
- Memory: 128KB 256KB 512KB 1M 2M
- Resolution: 800x480 Pixels
- Protection Class: IP20
- Screen Size: 7-22 Inches
- Programming Software: STEP 7
- Operating Voltage: 24V DC
- Communication Interfaces: MPI/PROFIBUS DP
- Storage: 512 MB Flash
- Software: WinCC Flexible Or TIA Portal

Product Description

SIEMENS 6ES7315-2EG10-0AB0 SIMATIC S7-300 CPU 315-2 PN/DP, CENTRAL PROCESSING UNIT WITH 128 KBYTE WORKING MEMORY

The **SIEMENS 6ES7315-2EG10-0AB0 SIMATIC S7-300 CPU 315-2 PN/DP** is a central processing unit with both PROFINET (PN) and PROFIBUS (DP) communication interfaces and 128 Kbytes of working memory. This CPU unit is designed to offer robust control and monitoring capabilities for industrial automation applications within the SIMATIC S7-300 series.

With both PN and DP communication interfaces, this CPU unit enables seamless integration into networks utilizing PROFINET or PROFIBUS protocols, allowing for efficient data exchange and communication with other devices. The substantial 128 Kbytes of working memory provide ample space for storing and executing control logic and data, ensuring smooth operation in diverse industrial environments.

Product	
Article Number	6ES7315-2EG10-0AB0
Product Description	SIMATIC S7-300 CPU 315-2 PN/DP, CENTRAL PROCESSING UNIT WITH 128 KBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S, 2. INTERFACE ETHERNET PROFINET, MICRO MEMORY CARD NECESSARY
Product family	Not available
Product Lifecycle (PLM)	PM500:Discontinued Product or end of PLM & Support
PLM Effective Date	End of product lifecycle since: 01.10.2013
Notes	Product is no longer available. Successor: 6ES7315-2EH14-0AB0 Compare Products
Successor information	
Successor	6ES7315-2EH14-0AB0
Successor Description	SIMATIC S7-300 CPU 315-2 PN/DP, Central processing unit with 384 KB work memory, 1st interface MPI/DP 12 Mbit/s, 2nd interface Ethernet PROFINET, with 2-port switch, Micro Memory Card required
Price data	
Price Group	2AP
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Material	see also metal factor (further details are available on the help page)
Metal Factor	see also metal factor (further details are available on the help page)
Delivery information	
Export Control Regulations	ECCN : N / AL : N
Estimated dispatch time (Working Days)	1 Day(s)
Net Weight (kg)	0,518 Kg
Packaging Dimension	13,10 x 15,40 x 8,80
Package size unit of measure	CM
Quantity Unit	0 Piece
Packaging Quantity	1
Additional Product Information	
EAN	4025515071082
UPC	Not available
Commodity Code	85371091
LKZ_FDB/CatalogID	ST9-E5
Product Group	4302
Group Code	R111

Country of origin	Germany
-------------------	---------



Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017



sale@voboal.com



plcsimatic.com

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen