# SIEMENS 6ES7315-2EH13-0AB0 SIMATIC S7-300 CPU315-2 PN/DP STANDARD CONTROLLER MPI/DP/PROFINET, 256KB MEMORY

### **Basic Information**

Place of Origin: GermanyBrand Name: SIEMENSCertification: CE

Model Number: 6ES7315-2EH13-0AB0

Minimum Order Quantity: 1Price: USD

Packaging Details: 13,20 x 15,30 x 8,90CM

Delivery Time: 10-12Days
Payment Terms: L/C, T/T
Supply Ability: 100PS



## **Product Specification**

Software: STEP 7 Professional V14 Or Higher

Manufacturer: Siemens
Touchscreen Type: Resistive
Display Type: Touchscreen
Model: S7-300
Operating Voltage: 24V DC

Mounting Options: Panel Or VESA Mount

Processor: ARM Cortex-A8

• Weight: Standard: 1.2 Kg; Compact: 0.5 Kg

Number Of Digital Outputs: 4/8/16/32/64/128
 Operating Temperature: -20°C To +60°C
 Software Compatibility: STEP 7, TIA Portal

• Programming Languages: Ladder Logic, Function Block Diagram,

Statement List, Structured Control Language

Display Size: 7 Inches

### **Product Description**

SIEMENS 6ES7315-2EH13-0AB0 SIMATIC S7-300 CPU315-2 PN/DP STANDARD CONTROLLER MPI/DP/PROFINET, 256KB MEMORY

The \*\*SIEMENS 6ES7315-2EH13-0AB0 SIMATIC S7-300 CPU315-2 PN/DP\*\* is a standard controller featuring MPI/DP/PROFINET capabilities, with 256KB of memory. This CPU unit is designed to provide robust control and monitoring functions for industrial automation applications within the SIMATIC S7-300 series.

Equipped with MPI, DP, and PROFINET functionalities, this CPU allows for versatile communication within different network setups, facilitating seamless integration into various industrial automation systems. With a substantial 256KB of memory capacity, this controller offers ample space for storing control logic and data, ensuring efficient operation in diverse industrial environments.

<u> </u>	
Product	
Article Number	6ES7315-2EH13-0AB0
Product	***Spare part*** SIMATIC S7-300 CPU 315-2 PN/DP, Central processing
Description	unit with 256 KB work memory, 1st interface MPI/DP 12 Mbit/s, 2nd
· · · · · · · · · · · · · · · · · · ·	interface Ethernet PROFINET, Micro Memory Card required
Product family	Not available
Product	DMESO DI UI ID I I I I I I I I I I I I I I I
Lifecycle	PM500:Discontinued Product or end of PLM & Support
(PLM)	
PLM Effective Date	End of product lifecycle since: 01.10.2022
Notes	Product is no longer available. Successor: 6ES7315-2EH14-0AB0 Compare Products
Successor information	
Successor	6ES7315-2EH14-0AB0
C	SIMATIC S7-300 CPU 315-2 PN/DP, Central processing unit with 384 KB
Successor Description	work memory, 1st interface MPI/DP 12 Mbit/s, 2nd interface Ethernet PROFINET, with 2-port switch, Micro Memory Card required
Price data	
Price Group	S20
List Price	Show prices
Customer	Chou prices
Price	Show prices
Surcharge for	see also metal factor (further details are available on the help page)
Raw Material	, , , , , , , , , , , , , , , , , , , ,
Metal Factor	see also metal factor (further details are available on the help page)
Delivery information	
Export Control Regulations	ECCN: N/AL: N
Estimated	
dispatch time	1 Day(s)
(Working	l Day(s)
Days)	
Net Weight (kg)	0,514 Kg
Packaging	13,20 x 15,30 x 8,90
Dimension	, , , , , , , , , , , , , , , , , , , ,
Package size	
unit of	CM
measure	
Quantity Unit	0 Piece
Packaging	1
Quantity	['
Additional Product Information	
	4025515074441
UPC	040892557701
Commodity	85371091
Code	
LKZ_FDB/	ST9-E5
CatalogID	
Product Group	4256
Group Code	R132
Country of	Germany
origin	definany





# **VOBOAL** Shenzhen Voboal Industrial Automation Co., Ltd.

+8613760462017

sale@voboal.com

plcsimatic.com

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen