

SIEMENS 6ES7315-2EH14-0AB0 SIMATIC S7-300 CPU315-2 PN/DP, MPI/DP/PROFINET,CENTRAL PROCESSING UNIT WITH 384 KB

Basic Information

- Place of Origin: Germany
- Brand Name: SIEMENS
- Certification: CE
- Model Number: 6ES7315-2EH14-0AB0
- Minimum Order Quantity: 1
- Price: USD
- Packaging Details: 13,10 x 15,10 x 5,20CM
- Delivery Time: 10-12Days
- Payment Terms: L/C, T/T
- Supply Ability: 100PS



Product Specification

- Touchscreen Type: Resistive
- Operating Temperature Range: -20 To 60 Degrees Celsius
- Protection Class: IP20
- Programming Software: STEP 7 Professional V13
- Power Consumption: 40 W
- Number Of Digital Outputs: 8/16/32/64/128/256
- Storage: 128 MB Flash
- Operating Temperature: 0-60°C
- Manufacturer: Siemens
- Resolution: 800x480 Pixels
- Memory Size: 128 KB/256 KB/512 KB/1 MB/2 MB/4 MB
- Protection Rating: IP65
- Operating Voltage: 24 V DC
- Certifications: CE, UL, CSA

Product Description

SIEMENS 6ES7315-2EH14-0AB0 SIMATIC S7-300 CPU315-2 PN/DP, MPI/DP/PROFINET,CENTRAL PROCESSING UNIT WITH 384 KB

The **SIEMENS 6ES7315-2EH14-0AB0 SIMATIC S7-300 CPU315-2 PN/DP** is a central processing unit with MPI/DP/PROFINET capabilities and 384 KB of memory. This CPU unit is designed to provide advanced control and monitoring functions for industrial automation applications within the SIMATIC S7-300 series.

With support for MPI, DP, and PROFINET protocols, this CPU unit enables seamless communication within diverse network environments, ensuring efficient data exchange and integration with other devices. The substantial 384 KB of memory capacity provides ample space for storing control logic and data, facilitating smooth operation in a wide range of industrial settings.

Product	
Article Number	6ES7315-2EH14-0AB0
Product Description	SIMATIC S7-300 CPU 315-2 PN/DP, Central processing unit with 384 KB work memory, 1st interface MPI/DP 12 Mbit/s, 2nd interface Ethernet PROFINET, with 2-port switch, Micro Memory Card required
Product family	CPU 315-2 PN/DP
Product Lifecycle (PLM)	PM400:Phase Out Started
PLM Effective Date	Product phase-out since: 01.10.2023
Price data	
Price Group	2AP
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Material	see also metal factor (further details are available on the help page)
Metal Factor	see also metal factor (further details are available on the help page)
Delivery information	
Export Control Regulations	AL : N / ECCN : 9N9999
Estimated dispatch time (Working Days)	1 Day(s)
Net Weight (kg)	0,379 Kg
Packaging Dimension	13,10 x 15,10 x 5,20
Package size unit of measure	CM
Quantity Unit	1 Piece
Packaging Quantity	1
Additional Product Information	
EAN	4025515077770
UPC	040892550313
Commodity Code	85371091
LKZ_FDB/CatalogID	ST73
Product Group	4302
Group Code	R132
Country of origin	Germany



Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017



sale@voboal.com



plcsimatic.com

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen