# SIEMENS 6ES7315-2FH13-0AB0 CPU315F-2 PN/DP, 256 KB 1ST INTERFACE MPI/DP 12 MBIT/S 2ND INTERFACE ETHERNET PROFINET.

## **Basic Information**

Place of Origin: GermanyBrand Name: SIEMENSCertification: CE

Model Number: 6ES7315-2FH13-0AB0

Minimum Order Quantity: 1Price: USD

• Packaging Details: 13,20 x 15,30 x 8,90CM

Delivery Time: 10-12Days
Payment Terms: L/C, T/T
Supply Ability: 100PS



# **Product Specification**

• Dimensions (W X H X D): 13,20 X 15,30 X 8,90CM

• Communication Interfaces: MPI/DP, PROFIBUS, PROFINET, Ethernet

Power Consumption: 40 W
Communication Protocol: PROFINET
Manufacturer: Siemens
CPU Type: S7-300

• Processor: ARM Cortex A8

• Display Size: 7 Inches

Expansion Slots: 1 X SD Card Slot
 Programming Language: Ladder Logic
 Power Supply: 24V DC

Memory: 128 KB/256 KB/512 KB/1 MB/2 MB/4 MB

Mounting Type: Panel Mounting

Memory Capacity: 128 KBWeight: 0,513 Kg

## **Product Description**

SIEMENS 6ES7315-2FH13-0AB0 CPU315F-2 PN/DP, 256 KB 1ST INTERFACE MPI/DP 12 MBIT/S 2ND INTERFACE ETHERNET PROFINET.

The \*\*SIEMENS 6ES7315-2FH13-0AB0 CPU315F-2 PN/DP\*\* is a specialized CPU unit with 256 KB of memory and unique communication interfaces. The first interface supports MPI/DP communication at 12 Mbit/s, while the second interface is dedicated to Ethernet PROFINET communication.

This CPU unit, part of the SIMATIC S7-300 series, is designed to cater to specific industrial automation requirements, offering high-speed communication capabilities through MPI/DP and Ethernet PROFINET interfaces. With 256 KB of memory, it provides sufficient storage for control logic and data processing, ensuring efficient operation in industrial environments.

Product		
Article	6ES7315-2FH13-0AB0	
Number		
	***Spare part*** SIMATIC S7-300 CPU315F-2 PN/DP, Central processing unit with 256 KB work memory, 1st interface MPI/DP 12 Mbit/s, 2nd interface Ethernet PROFINET, Micro Memory Card required Can be used with software package S7 Distributed Safety from V5.4	
Product family	Not available	
(PLM)	PM500:Discontinued Product or end of PLM & Support	
PLM Effective Date	End of product lifecycle since: 01.10.2022	
Notes	Product is no longer available. Successor: 6ES7315-2FJ14-0AB0 Compare Products	
Successor i	information	
Successor	6ES7315-2FJ14-0AB0	
	SIMATIC S7-300 CPU315F-2 PN/DP, Central processing unit with 512 KB work memory, 1st interface MPI/DP 12 Mbit/s, 2nd interface Ethernet PROFINET, with 2-port switch, Micro Memory Card required	
Price data		
Price	S20	
Group List Price	Chau priess	
Customer	Show prices	
Price	Show prices	
Material	see also metal factor (further details are available on the help page)	
Metal Factor	see also metal factor (further details are available on the help page)	
Delivery info	ormation	
Export Control Regulation s	ECCN: N / AL: N	
Estimated dispatch time (Working Days)	1 Day(s)	
Net Weight (kg)	0,513 Kg	
Packaging Dimension	13,20 x 15,30 x 8,90	
Package size unit of measure	СМ	
Quantity Unit	0 Piece	
Packaging Quantity	1	
Additional Product Information		
I	4025515074458	
UPC	Not available	
Commodity Code	85371091	
LKZ_FDB/ CatalogID	ST9-E5	
Product Group	4A89	

- 1	Group Code	R152
- 1	Country of origin	Germany



**VOBOAL** Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017



sale@voboal.com plcsimatic.com

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen