

SIEMENS 6ES7315-6TH13-0AB0 CPU 315T-2 DP, CENTRAL PROCESSING UNIT FOR PLC AND TECHNOLOGY TASKS, 256 KB WORK MEMORY

Basic Information

- Place of Origin: Germany
- Brand Name: SIEMENS
- Certification: CE
- Model Number: 6ES7315-6TH13-0AB0
- Minimum Order Quantity: 1
- Price: USD
- Packaging Details: 14,20 x 16,90 x 13,70CM
- Delivery Time: 10-12Days
- Payment Terms: L/C, T/T
- Supply Ability: 100PS



Product Specification

- Weight: 0,792 Kg
- Display Type: Touchscreen
- Dimensions: Standard: 290 X 100 X 120 Mm, Compact: 80 X 125 X 120 Mm
- Communication Protocol: PROFINET
- Number Of Timers: 4
- Model: S7-300
- Expansion Slots: 1 X SD Card Slot
- Display Size: 7 Inch
- Programming Language: Ladder Logic
- Expansion Modules: Digital/Analog/Communication/Technology
- Temperature Range: -20 To 60°C
- Number Of Digital Inputs: 8/16/32/64/128/256
- Mounting Type: Panel Mounting
- Resolution: 800x480 Pixels

Product Description

SIEMENS 6ES7315-6TH13-0AB0 CPU 315T-2 DP, CENTRAL PROCESSING UNIT FOR PLC AND TECHNOLOGY TASKS, 256 KB WORK MEMORY

The **SIEMENS 6ES7315-6TH13-0AB0 CPU 315T-2 DP** is a central processing unit designed to handle both PLC (Programmable Logic Controller) and technology tasks. With 256 KB of work memory, this CPU unit is equipped to manage a variety of automation functions efficiently.

Specifically tailored for applications that require handling both standard control tasks and more specialized technology operations, this CPU unit provides the necessary performance and memory capacity to support these tasks effectively. The integration of PLC and technology task capabilities makes this unit versatile and suitable for a wide range of industrial automation applications.

Product	
Article Number	6ES7315-6TH13-0AB0
Product Description	***Spare part*** SIMATIC S7-300, CPU 315T-2 DP, Central processing unit for PLC and Technology tasks, 256 KB work memory, 1st interface MPI/DP 12 Mbit/s, 2nd interface DP (drive), Integr. I/O for technology, Front connector (1x 40-pole) and Micro Memory Card min. 8 MB required
Product family	Not available
Product Lifecycle (PLM)	PM410:Product cancellation
PLM Effective Date	Product is cancelled since: 13.01.2014
Notes	For this product a successor is available 6ES7315-7TJ10-0AB0 Compare Products This product is a spare part product. More information you'll get via "Alternative Buying Options". If you need assistance please contact our local Siemens office
Successor information	
Successor	6ES7315-7TJ10-0AB0
Successor Description	SIMATIC S7-300, CPU 315T-3 PN/DP, Central processing unit for PLC and technology tasks, 384 KB work memory, 1st interface MPI/DP 12 Mbit/s, 2nd interface DP (drive), 3rd interface Ethernet PROFINET with 2-port switch, Integr. I/O for technology, Front connector (1x 40-pole) and Micro Memory Card min. 8 MB required
Price data	
Price Group	S20
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Material	see also metal factor (further details are available on the help page)
Metal Factor	see also metal factor (further details are available on the help page)
Delivery information	
Export Control Regulations	ECCN : N / AL : N
Estimated dispatch time (Working Days)	1 Day(s)
Net Weight (kg)	0,792 Kg
Packaging Dimension	14,20 x 16,90 x 13,70
Package size unit of measure	CM
Quantity Unit	1 Piece

Packaging Quantity	1
Additional Product Information	
EAN	4025515076421
UPC	662643401400
Commodity Code	85371091
LKZ_FD B/ Catalog ID	ST9-E5
Product Group	4256
Group Code	R132
Country of origin	Germany



Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017



sale@voboal.com



plcsimatic.com

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen