

SIEMENS 6ES7317-6FF04-0AB0 SIMATIC S7-300, CPU 317F-2DP, CENTRAL PROCESSING UNIT WITH 1.5 MB WORK MEMORY

Our Product Introduction

Basic Information

- Place of Origin: Germany
- Brand Name: SIEMENS
- Certification: CE
- Model Number: 6ES7317-6FF04-0AB0
- Minimum Order Quantity: 1
- Price: USD
- Packaging Details: 12,80 x 15,10 x 5,20CM
- Delivery Time: 10-12Days
- Payment Terms: L/C, T/T
- Supply Ability: 100PS



Product Specification

- Ip Rating: IP65
- Number Of Digital Outputs: 16
- Communication Protocols: PROFINET, PROFIBUS
- Power Supply: 24V DC
- Memory Capacity: 128 KB
- Number Of Analog Inputs: 8
- Resolution: 800 X 480 Pixels
- Temperature Range: -20 To 60°C
- Touchscreen: Yes
- Display Size: 7 Inch
- Communication Protocol: PROFINET
- Expansion Modules: Digital/Analog/Communication/Technology
- Model: S7-300
- Operating Voltage: 24 VDC
- Software Compatibility: STEP 7, TIA Portal

Product Description

SIEMENS 6ES7317-6FF04-0AB0 SIMATIC S7-300, CPU 317F-2DP, CENTRAL PROCESSING UNIT WITH 1.5 MB WORK MEMORY

The **SIEMENS 6ES7317-6FF04-0AB0 SIMATIC S7-300 CPU 317F-2DP** is a central processing unit within the S7-300 series. This CPU model is equipped with 1.5 MB of work memory.

The CPU 317F-2DP is designed to provide powerful processing capabilities for automation tasks within industrial control systems. With 1.5 MB of work memory, this CPU can effectively store and execute programs and data crucial for controlling various processes in industrial environments. The "DP" designation indicates compatibility with the Profibus DP communication protocol, enabling seamless connectivity with a wide range of automation devices.

| | |
|--|--|
| Product | |
| Article Number | 6ES7317-6FF04-0AB0 |
| Product Description | SIMATIC S7-300, CPU 317F-2DP, Central processing unit with 1.5 MB work memory, 1st interface MPI/DP 12 Mbit/s, 2nd interface DP master/slave Micro Memory Card required Can be used with software package S7 Distributed Safety V5.2 SP1 or higher |
| Product family | CPU 317F-2 DP |
| Product Lifecycle (PLM) | PM400:Phase Out Started |
| PLM Effective Date | Product phase-out since: 01.10.2023 |
| Price data | |
| Price Group | 2AP |
| List Price | Show prices |
| Customer Price | Show prices |
| Surcharge for Raw Material | see also metal factor (further details are available on the help page) |
| Metal Factor | see also metal factor (further details are available on the help page) |
| Delivery information | |
| Export Control Regulations | AL : N / ECCN : EAR99H |
| Estimated dispatch time (Working Days) | 1 Day(s) |
| Net Weight (kg) | 0,416 Kg |
| Packaging Dimension | 12,80 x 15,10 x 5,20 |
| Package size unit of measure | CM |
| Quantity Unit | 1 Piece |
| Packaging Quantity | 1 |
| Additional Product Information | |
| EAN | 4025515080190 |
| UPC | 040892788624 |
| Commodity Code | 85371091 |
| LKZ_FDB/CatalogID | ST73 |
| Product Group | 4A85 |
| Group Code | R152 |
| Country of origin | Germany |



Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017



sale@voboal.com



plcsimatic.com

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen