SIEMENS 6ES7318-2AJ00-0AB0 SIMATIC S7-300, CPU 318-2 DP, 512 KB **WORK MEMORY, (256 KB CODE**

Basic Information

. Place of Origin: Germany Brand Name: SIEMENS · Certification: CE

Model Number: 6ES7318-2AJ00-0AB0

• Minimum Order Quantity: 1 • Price: USD

15,10 x 17,00 x 12,30CM Packaging Details:

• Delivery Time: 10-12Days Payment Terms: L/C, T/T 100PS . Supply Ability:



Product Specification

• Protection Class: IP20

 Temperature Range: -20 To 60°C Number Of Analog Inputs: Up To 256 STEP 7 . Operating System:

• Operating Temperature -25°C To +60°C

Range:

Software: SIMATIC WinCC Runtime Advanced

Storage: 512 MB Flash

• Communication Protocols: PROFIBUS, MPI, Industrial Ethernet Digital/Analog/Communication/Technology Expansion Modules:

 Number Of Digital Inputs: Up To 1024

• Communication Interfaces: MPI/DP, PROFIBUS, Ethernet

Mounting Type: Panel Mounting

Programming Software: STEP 7 Professional V13

Programming Languages: Ladder Logic, Function Block Diagram,

Product Description

SIEMENS 6ES7318-2AJ00-0AB0 SIMATIC S7-300, CPU 318-2 DP, 512 KB WORK MEMORY, (256 KB CODE

The **SIEMENS 6ES7318-2AJ00-0AB0 SIMATIC S7-300 CPU 318-2 DP** is a central processing unit within the S7-300 series. This CPU model is equipped with 512 KB of work memory, with 256 KB dedicated to storing code. The CPU 318-2 DP is designed to provide efficient processing capabilities for automation tasks within industrial control systems. With 512 KB of work memory, this CPU can store and execute programs and data essential for controlling various processes in industrial environments. The "DP" designation indicates compatibility with the Profibus DP communication protocol, allowing for seamless connectivity with a variety of automation devices.

| Product | |
|--|--|
| Article Number 6ES7318-2AJ00-0AB0 | |
| Product Description | ***Spare part*** SIMATIC S7-300, CPU 318-2 DP, 512 KB work memory, (256 KB Code; 256 KB of data 1st interface MPI 12 Mbit/s; 2 interface PROFIBUS-DP/MPI |
| Product family | Not available |
| Product Lifecycle (PLM) | PM500:Discontinued Product or end of PLM & Support |
| PLM Effective Date | End of product lifecycle since: 01.10.2020 |
| Notes | Product was deleted without replacement. If you need assistance please contact our local Siemens office |
| Price data | |
| | 2ET |
| List Price | Show prices |
| Customer Price | Show prices |
| Surcharge for Raw Material | see also metal factor (further details are available on the help page) |
| Metal Factor | see also metal factor (further details are available on the help page) |
| Delivery information | |
| Export Control Regulations | ECCN: N/AL: N |
| Estimated dispatch time (Working Days) | 1 Day(s) |
| Net Weight (kg) | 1,007 Kg |
| Packaging Dimension | 15,10 x 17,00 x 12,30 |
| Package size unit of measure | |
| Quantity Unit | 0 Piece |
| Packaging Quantity | 1 |
| Additional Product Information | |
| | 4025515060710 |
| | Not available |
| Commodity Code | 85371091 |
| LKZ_FDB/ CatalogID | ST9-E5 |
| | 4256 |
| Group Code | R111 |
| Country of origin | Germany |





VOBOAL Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017



sale@voboal.com



plcsimatic.com

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen