SIEMENS 6EP3320-6SB00-0AY0 LOGO!POWER 12 V / 0.9 A STABILIZED POWER SUPPLY INPUT: 100-240 V AC OUTPUT: 12 V DC/ 0.9 A

Basic Information

Place of Origin: Austria
Brand Name: SIEMENS
Certification: CE

Model Number: 6EP3320-6SB00-0AY0

Minimum Order Quantity: 1Price: USD

• Packaging Details: 6,70 x 9,60 x 3,60CM

Delivery Time: 10-12Days
Payment Terms: L/C, T/T
Supply Ability: 100PS



Product Specification

• Storage Temperature: -40 To +85°C

• Type: Switch Mode Power Supply

Protection: IP20
Mounting Type: DIN Rail
Communication Interface: RS-485

Additional Features: Overload And Short-circuit Protection

Certifications:
 CE, UL, CUL, CSA, FM

Power: 120WProtection Class: IP20

Compatibility: SIMATIC S7-1200, SIMATIC S7-1500

• Input Voltage Range: 85-264 V AC, 90-375 V DC

Input Voltage: AC 120/230 V
 Mounting: DIN Rail
 Rated Output Current: 5A

Product Type: Power Supply

Product Description

SIEMENS 6EP3320-6SB00-0AY0 LOGO!POWER 12 V / 0.9 A STABILIZED POWER SUPPLY INPUT: 100-240 V AC OUTPUT: 12 V DC/ 0.9 A

The **SIEMENS 6EP3320-6SB00-0AY0 LOGO!POWER** is a compact and reliable stabilized power supply unit tailored for use with the Siemens LOGO! series. This power supply unit is designed to accept an input voltage range of 100-240 V AC and delivers a stable 12 V DC output with a maximum current of 0.9 A.

Ideal for powering low-voltage devices and LOGO! logic modules in industrial automation settings, the LOGO!POWER unit ensures precise voltage regulation and a consistent power supply. With its compact design and efficient performance, it plays a crucial role in maintaining the reliability and functionality of control systems that rely on the Siemens LOGO! platform.

Product	
Article Number	6EP3320-6SB00-0AY0
Product Description	LOGO!POWER 12 V / 0.9 A stabilized power supply input: 100-240 V AC output: 12 V DC/ 0.9 A
Product family	Ordering Data Overview
Product Lifecycle (PLM)	PM300:Active Product
Price data	
Price Group	583
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Material	see also metal factor (further details are available on the help page)
Metal Factor	see also metal factor (further details are available on the help page)
Delivery information	
Export Control Regulations	AL:N/ECCN:N
Estimated dispatch time (Working Days)	1 Day(s)
Net Weight (kg)	0,070 Kg
Packaging Dimension	6,70 x 9,60 x 3,60
Package size unit of measure	СМ
Quantity Unit	1 Piece
Packaging Quantity	1
Additional Product Information	
EAN	4025515154884
UPC	804766470684
Commodity Code	85044083
LKZ_FDB/ CatalogID	KT10-PH
Product Group	4022
Group Code	R315
Country of origin	Austria



VOBOAL Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017



sale@voboal.com plcsimatic.com



Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen