SIEMENS 6EP3321-6SB10-0AY0 LOGO!POWER 15 V / 1.9 A STABILIZED POWER SUPPLY INPUT: 100-240 V AC OUTPUT: 15 V DC / 1.9 A

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: L/C, T/T
- Supply Ability:



Product Specification

M	
 Model: 	6EP1334-3BA00
 Operating Temperature: 	-25 To +70 °C
Output Current:	20 A
Communication Interfaces:	PROFINET, PROFIBUS, Ethernet/IP
Number Of Outputs:	1
 Mounting: 	DIN Rail
• Type:	Switch Mode Power Supply
 Input Voltage: 	100-240 V AC
• Series:	SITOP PSU8600
Weight:	0,120 Kg
 Protection Class: 	IP20
 Additional Features: 	Overload And Short-circuit Protection
 Output Voltage Range: 	24 V DC
 Dimensions: 	6,70 X 9,60 X 5,60CM
 Power Rating: 	960 W

Austria

CE

1

USD

10-12Days

100PS

SIEMENS

6EP3321-6SB10-0AY0

6,70 x 9,60 x 5,60CM


Our Product Introduction

SIEMENS 6EP3321-6SB10-0AY0 LOGO!POWER 15 V / 1.9 A STABILIZED POWER SUPPLY INPUT: 100-240 V AC OUTPUT: 15 V DC / 1.9 A

The **SIEMENS 6EP3321-6SB10-0AY0 LOGO!POWER** is a stabilized power supply unit tailored for applications within the Siemens LOGO! series. This power supply unit is designed to accept an input voltage range of 100-240 V AC and deliver a stable 15 V DC output at a maximum current of 1.9 A.

Specifically engineered for powering low-voltage devices and LOGO! logic modules in industrial automation settings, the LOGO!POWER unit ensures precise voltage regulation and consistent power delivery. Its compact form factor and efficient performance make it an essential component for maintaining the reliability and functionality of control systems reliant on the Siemens LOGO! platform.

Product	
Article Number	6EP3321-6SB10-0AY0
Product Description	LOGO!POWER 15 V / 1.9 A stabilized power supply input: 100- 240 V AC output: 15 V DC / 1.9 A
Product family	<u>1-phase, 15 V DC</u>
Product Lifecycle (PLM)	PM300:Active Product
Price data	
Price Group	583
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Material	see also metal factor (further details are available on the help page)
Metal Factor	see also metal factor (further details are available on the help page)
Delivery information	
Export Control Regulations	AL : N / ECCN : N
Estimated dispatch time (Working Days)	1 Day(s)
Net Weight (kg)	0,120 Kg
Packaging Dimension	6,70 x 9,60 x 5,60
Package size unit of measure	СМ
Quantity Unit	1 Piece
Packaging Quantity	1
Additional Product Inform	ation
EAN	4025515154822
UPC	804766458941
Commodity Code	85044083
LKZ_FDB/ CatalogID	KT10-PH
Product Group	4022
Group Code	R315
Country of origin	Austria



Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen