


# SIEMENS 3RW4024-1BB04 SIRIUS SOFT STARTER S0 12.5 A, 5.5 KW/400 V, 40 °C 200-480 V AC, 24 V AC/DC SCREW TERMINALS

## Basic Information

- Place of Origin: Czech Republic
- Brand Name: SIEMENS
- Certification: CE
- Model Number: 3RW4024-1BB04
- Minimum Order Quantity: 1
- Price: USD
- Packaging Details: 210,00 x 183,00 x 58,00MM
- Delivery Time: 10-12Days
- Payment Terms: L/C, T/T
- Supply Ability: 100



## Product Specification

- Starting Method: Soft Start
- Soft Stop: Ramp-down Time
- Weight: Depends On Model
- Model: 3RW Soft Starters
- Control Voltage: 24 V DC, 110-240 V AC
- Motor Protection: Overload, Underload, Phase Failure, Phase Imbalance, Locked Rotor, Thermistor
- Parameter Copy Function: Yes
- Voltage Range: 200 V To 690 V
- Operating Temperature: -25 To 70°C
- Stop Function: Coast To Stop
- Enclosure Material: Plastic, Metal
- Motor Control: Soft Start, Soft Stop, Pump Control
- Protection Class: IP20, IP55


## Product Description

SIEMENS 3RW4024-1BB04 SIRIUS SOFT STARTER S0 12.5 A, 5.5 kW/400 V, 40 °C 200-480 V AC, 24 V AC/DC SCREW TERMINALS

The **\*\*SIEMENS 3RW4024-1BB04 SIRIUS SOFT STARTER S0\*\*** is a motor control device designed for industrial applications where moderate power motors are used. This soft starter is rated for 12.5 A, 5.5 kW at 400 V and can operate at temperatures up to 40°C. It is compatible with input voltages ranging from 200 V to 480 V AC and features 24 V AC/DC screw terminals for connections.

Soft starters like the SIRIUS S0 are utilized to control the starting and stopping of electric motors, reducing the stress on the motor during startup and ensuring a smooth acceleration process. They are commonly used in various industrial settings to enhance motor performance and efficiency.

Product	
Article Number	3RW4024-1BB04
Product Description	SIRIUS soft starter S0 12.5 A, 5.5 kW/400 V, 40 °C 200-480 V AC, 24 V AC/DC Screw terminals
Product family	<a href="#">3RW40 soft starters</a>
Product Lifecycle (PLM)	PM300:Active Product
Price data	
Price Group	42G
List Price	<a href="#">Show prices</a>
Customer Price	<a href="#">Show prices</a>
Surcharge for Raw Material	see also metal factor (further details are available on the help page)
Metal Factor	LAO-----
Delivery information	
Export Control Regulations	AL : N / ECCN : N
Estimated dispatch time (Working Days)	3 Day(s)
Net Weight (kg)	0,709 Kg
Packaging Dimension	210,00 x 183,00 x 58,00
Package size unit of measure	MM
Quantity Unit	1 Piece
Packaging Quantity	1
Additional Product Information	
EAN	4011209691568
UPC	040892691931
Commodity Code	85371098
LKZ_FDB/ CatalogID	CC-IC10
Product Group	3727
Group Code	R711
Country of origin	Czech Republic



Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017



sale@voboal.com



plcsimatic.com

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen