

SIEMENS 6EP1933-2EC51 USB interface basic device 5 kW input: 24 V DC output: 24 V DC/15 A degree of protection IP20

Basic Information

- Place of Origin: Austria
- Brand Name: SIEMENS
- Certification: CE
- Model Number: 6EP1933-2EC51
- Minimum Order Quantity: 1
- Price: USD
- Packaging Details: 13,00 x 15,00 x 13,00CM
- Delivery Time: 10-12Days
- Payment Terms: L/C, T/T
- Supply Ability: 100



Product Specification

- Input Voltage Range: 85-264 V AC, 90-375 V DC
- Communication Interface: RS-485
- Additional Features: Overload And Short-circuit Protection
- Rated Output Current: 5A
- Dimensions: 13,00 X 15,00 X 13,00CM
- Protection Rating: IP20
- Product Series: SIMATIC S7-1200
- Output Voltage: 24V DC
- Rated Power: 960 W
- Warranty: 3 Years
- Country Of Origin: Austria
- Efficiency: 93%
- Number Of Outputs: 1
- Humidity: 5-95%
- Weight: 1,000 Kg

Product Description

SIEMENS 6EP1933-2EC51 USB INTERFACE BASIC DEVICE 5 KWS INPUT: 24 V DC OUTPUT: 24 V DC/15 A DEGREE OF PROTECTION IP20

The ****SIEMENS 6EP1933-2EC51 USB Interface Basic Device**** is a power supply unit with a USB interface designed for industrial applications. It provides power conversion capabilities along with a USB interface for communication and control purposes.

- ****Input Voltage:**** 24V DC
- ****Output Voltage:**** 24V DC
- ****Output Current:**** 15A
- ****Power Output:**** 5 kW
- ****Degree of Protection:**** IP20

This device takes in 24V DC input and outputs a stable 24V DC at a maximum current of 15A with a power output of 5 kW. The IP20 degree of protection indicates protection against solid objects larger than 12 mm and no protection against water ingress. The USB interface allows for communication with other devices or systems for monitoring and control applications, enhancing the functionality of the power supply unit.

Product	
Article Number	6EP1933-2EC51
Product Description	SITOP UPS500S maintenance-free uninterruptible power supply with USB interface basic device 5 kW input: 24 V DC output: 24 V DC/15 A degree of protection IP20
Product family	DC UPS with capacitors
Product Lifecycle (PLM)	PM300:Active Product
Price data	
Price Group	585
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Material	see also metal factor (further details are available on the help page)
Metal Factor	see also metal factor (further details are available on the help page)
Delivery information	
Export Control Regulations	AL : N / ECCN : N
Estimated dispatch time (Working Days)	1 Day(s)
Net Weight (kg)	1,000 Kg
Packaging Dimension	13,00 x 15,00 x 13,00
Package size unit of measure	CM
Quantity Unit	1 Piece
Packaging Quantity	1
Additional Product Information	
EAN	4025515152491
UPC	040892692709
Commodity Code	85044095
LKZ_FDB/CatalogID	KT10-PD
Product Group	4215
Group Code	R315
Country of origin	Austria



Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017



sale@voboal.com



plcsimatic.com

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen