

**SIEMENS 6EP3333-6SB00-0AY0 LOGO!POWER 24 V / 4 A STABILIZED
POWER SUPPLY INPUT: 100-240 V AC OUTPUT: 24 V DC / 4 A**

Our Product Introduction

Basic Information

- Place of Origin: Austria
- Brand Name: SIEMENS
- Certification: CE
- Model Number: 6EP3333-6SB00-0AY0
- Minimum Order Quantity: 1
- Price: USD
- Packaging Details: 6,70 x 9,60 x 9,10CM
- Delivery Time: 10-12Days
- Payment Terms: L/C, T/T
- Supply Ability: 100

**Product Specification**

- Protection Rating: IP20
- Weight: 0,300 Kg
- Protection Class: IP20
- Output Voltage: 24V DC
- Mounting: DIN Rail
- Rated Power: 960 W
- Product Type: Power Supply
- Efficiency: 93%
- Series: SITOP Smart
- Dimensions: 6,70 X 9,60 X 9,10CM
- Power Rating: 480W
- Operating Temperature: -25°C To +70°C
- Output Voltage Range: 24 V DC
- Additional Features: Overload And Short-circuit Protection
- Rated Output Current: 5A

Product Description

SIEMENS 6EP3333-6SB00-0AY0 LOGO!POWER 24 V / 4 A STABILIZED POWER SUPPLY INPUT: 100-240 V AC OUTPUT: 24 V DC / 4 A

The ****SIEMENS 6EP3333-6SB00-0AY0 LOGO!POWER**** is a stabilized power supply unit designed to provide a steady 24V DC output at a maximum current of 4A. This power supply unit is commonly used in industrial automation and control applications.

- ****Input Voltage:**** 100-240V AC
- ****Output Voltage:**** 24V DC
- ****Output Current:**** 4A

The unit takes an input voltage range of 100-240V AC and converts it into a stable 24V DC output with a current capacity of up to 4A. This type of power supply is frequently used to power control systems, sensors, and other components in industrial environments, ensuring a reliable and consistent source of power for critical operations.

Product	
Article Number	6EP3333-6SB00-0AY0
Product Description	LOGO!POWER 24 V / 4 A stabilized power supply input: 100-240 V AC output: 24 V DC / 4 A
Product family	Ordering Data Overview
Product Lifecycle (PLM)	PM300:Active Product
Price data	
Price Group	583
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Material	see also metal factor (further details are available on the help page)
Metal Factor	see also metal factor (further details are available on the help page)
Delivery information	
Export Control Regulations	AL : N / ECCN : N
Estimated dispatch time (Working Days)	1 Day(s)
Net Weight (kg)	0,300 Kg
Packaging Dimension	6,70 x 9,60 x 9,10
Package size unit of measure	CM
Quantity Unit	1 Piece
Packaging Quantity	1
Additional Product Information	
EAN	4025515154860
UPC	804766468995
Commodity Code	85044083
LKZ_FDB/ CatalogID	KT10-PH
Product Group	4022
Group Code	R315
Country of origin	Austria



Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017



sale@voboal.com



plcsimatic.com

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen