

SIEMENS 6ES7322-1FF01-0AA0 SIMATIC S7-300, DIGITAL OUTPUT SM 322, ISOLATED, 8 DO, 120/230 V AC, 1 A, 1X 20-POLE


Basic Information

- Place of Origin: Germany
- Brand Name: SIEMENS
- Certification: CE
- Model Number: 6ES7322-1FF01-0AA0
- Minimum Order Quantity: 1
- Price: USD
- Packaging Details: 13,20 x 15,10 x 5,10CM
- Delivery Time: 10-12Days
- Payment Terms: L/C, T/T
- Supply Ability: 100



Product Specification

- Model: S7-300
- Protection Rating: IP20
- Communication Interfaces: MPI/PROFIBUS DP
- Dimensions: Standard: 290 X 80 X 125 Mm; Compact: 290 X 80 X 125 Mm
- Product Type: Programmable Logic Controller (PLC)
- Number Of Analog Outputs: Up To 4096
- Certifications: CE, UL, CSA, FCC
- Power Consumption: 40 W
- Screen Size: 7-22 Inches
- Power Supply: 24 V DC
- Storage: 128 MB Flash
- Software Compatibility: STEP 7, TIA Portal
- Communication Ports: MPI/DP
- Temperature Range: -20°C To 60°C



Product Description

SIEMENS 6ES7322-1FF01-0AA0 SIMATIC S7-300, DIGITAL OUTPUT SM 322, ISOLATED, 8 DO, 120/230 V AC, 1 A, 1X 20-POLE

The **SIEMENS 6ES7322-1FF01-0AA0 SIMATIC S7-300 Digital Output SM 322** is a module designed for the SIMATIC S7-300 system, providing isolated digital outputs. Here are the key specifications for this digital output module:

- **Model:** 6ES7322-1FF01-0AA0
- **System:** SIMATIC S7-300
- **Module Type:** Digital Output SM 322
- **Isolation:** Isolated Outputs
- **Number of Outputs:** 8 Digital Outputs (DO)
- **Voltage:** 120/230V AC
- **Current:** 1A
- **Connector:** 1x 20-Pole

This module features 8 isolated digital outputs with a voltage rating of 120/230V AC and a current capacity of 1A. It is designed for use within the SIMATIC S7-300 system, providing reliable control of external devices or processes with isolation for enhanced system safety and performance.

Product	
Article Number	6ES7322-1FF01-0AA0
Product Description	SIMATIC S7-300, Digital output SM 322, isolated, 8 DO, 120/230 V AC, 1 A, 1x 20-pole
Product family	SM 322 digital output modules
Product Lifecycle (PLM)	PM400:Phase Out Started
PLM Effective Date	Product phase-out since: 01.10.2023
Price data	
Price Group	2AP
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Material	see also metal factor (further details are available on the help page)
Metal Factor	see also metal factor (further details are available on the help page)
Delivery information	
Export Control Regulations	AL : N / ECCN : N
Estimated dispatch time (Working Days)	1 Day(s)
Net Weight (kg)	0,294 Kg
Packaging Dimension	13,20 x 15,10 x 5,10
Package size unit of measure	CM
Quantity Unit	1 Piece
Packaging Quantity	1
Additional Product Information	
EAN	4025515060994
UPC	662643171433
Commodity Code	85389091
LKZ_FDB/ CatalogID	ST73
Product Group	2288
Group Code	R151
Country of origin	Germany



