

SIEMENS 6ES7132-7GD10-0AB0 SIMATIC DP, ELECTRONIC MODULE FOR ET200ISP, 4 DQ, 17.4 V DC/27 MA, "L"-SHUTDOWN, EX IB

Our Product Introduction

Basic Information

- Place of Origin: Germany
- Brand Name: SIEMENS
- Certification: CE
- Model Number: 6ES7132-7GD10-0AB0
- Minimum Order Quantity: 1
- Price: USD
- Packaging Details: 14,10 x 16,20 x 4,30CM
- Delivery Time: 10-12Days
- Payment Terms: L/C, T/T
- Supply Ability: 100



Product Specification

- Number Of Digital Inputs: 16
- Operating Temperature: -25°C To +60°C
- Product Type: Programmable Logic Controller
- Manufacturer: Siemens
- Integrated Web Server: Yes
- Number Of Analog Outputs: 4
- Mounting Type: Panel Mount
- Country Of Origin: United States Of America
- Usb: 1
- Input Voltage: 24 V DC
- Warranty: 1 Year
- Operating System: TIA Portal
- Programming Software: STEP 7 Professional V15
- Group Code: P360
- Communication Interface: PROFINET

Product Description

SIEMENS 6ES7132-7GD10-0AB0 SIMATIC DP, ELECTRONIC MODULE FOR ET200ISP, 4 DQ, 17.4 V DC/27 MA, "L"-SHUTDOWN, EX IB

The **SIEMENS 6ES7132-7GD10-0AB0 SIMATIC DP Electronic Module** is designed for the ET 200ISP system, providing digital output capabilities for industrial automation applications. Here are the key specifications for this electronic module:

- **Model:** 6ES7132-7GD10-0AB0
- **System:** SIMATIC DP for ET 200ISP
- **Module Type:** Electronic Module
- **Number of Outputs:** 4 Digital Outputs (DQ)
- **Voltage:** 17.4V DC
- **Current:** 27mA per output
- **Shutdown Type:** "L"-Shutdown
- **Certification:** EX IB (Intrinsically Safe)

This module features 4 digital outputs, each operating at 17.4V DC with a current rating of 27mA per output. It is equipped with "L"-shutdown functionality and certified as EX IB (Intrinsically Safe), making it suitable for use in hazardous environments where explosive gases or dust may be present.

Product	
Article Number	6ES7132-7GD10-0AB0
Product Description	SIMATIC DP, electronic module for ET200iSP, 4 DQ, 17.4 V DC/27 mA, "L"-shutdown, Ex ib (ia Ga) IIC T4 Gb, Ex ib [ia IIIC Da] IIC T4 Gb, Ex ib [ia] I Mb
Product family	Not available
Product Lifecycle (PLM)	PM300:Active Product
Price data	
Price Group	287
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Material	see also metal factor (further details are available on the help page)
Metal Factor	see also metal factor (further details are available on the help page)
Delivery information	
Export Control Regulations	AL : N / ECCN : 9N9999
Estimated dispatch time (Working Days)	15 Day(s)
Net Weight (kg)	0,345 Kg
Packaging Dimension	14,10 x 16,20 x 4,30
Package size unit of measure	CM
Quantity Unit	1 Piece
Packaging Quantity	1
Additional Product Information	
EAN	4019169150194
UPC	040892692778
Commodity Code	85389091
LKZ_FDB/CatalogID	ST76
Product Group	2459
Group Code	R336
Country of origin	Germany



Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017



sale@voboal.com



plcsimatic.com

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen