

SIEMENS 3RW4028-1TB04 SIRIUS SOFT STARTER S0 38 A, 18.5 KW/400 V, 40 °C 200-480 V AC, 24 V AC/DC SCREW TERMINALS

Our Product Introduction

Basic Information

- Place of Origin: Czech Republic
- Brand Name: SIEMENS
- Certification: CE
- Model Number: 3RW4028-1TB04
- Minimum Order Quantity: 1
- Price: USD
- Packaging Details: 154.00 x 183.00 x 58.00MM
- Delivery Time: 10-12Days
- Payment Terms: L/C, T/T
- Supply Ability: 100



Product Specification

- Communication Protocols: Modbus TCP, Ethernet/IP, DeviceNet
- Ramp-Down Time: 0-60 Seconds
- Control Voltage: 24 V DC
- Starting Time: 0-20 Seconds
- Ambient Temperature Range: -25°C To +60°C
- Dimensions: Depends On Model
- Ramp-Up Time: 0-60 Seconds
- Rated Operational Current: 6-480 A
- Model: 3RW Soft Starters
- Input Voltage: 120-230V AC
- Parameter Copy Function: Yes
- Motor Power Range: 1.5-560 KW
- Soft Start: Ramp-up Time
- Voltage: Up To 690V

Product Description

SIEMENS 3RW4028-1TB04 SIRIUS SOFT STARTER S0 38 A, 18.5 kW/400 V, 40 °C 200-480 V AC, 24 V AC/DC SCREW TERMINALS

The **SIEMENS 3RW4028-1TB04 SIRIUS SOFT STARTER S0** is a soft starter device with the following specifications:

- **Model:** 3RW4028-1TB04
- **Product Name:** SIRIUS SOFT STARTER S0
- **Rated Current:** 38A
- **Rated Power:** 18.5 kW at 400V, 40°C
- **Input Voltage Range:**
 - 200-480V AC
 - 24V AC/DC
- **Connection Type:** Screw terminals

This soft starter is designed to facilitate the smooth starting and control of the acceleration of electric motors. It can handle a rated current of 38A and a power of 18.5 kW at 400V and 40°C. The input voltage range is between 200-480V AC and 24V AC/DC, and it features screw terminals for secure and reliable connections.

Product	
Article Number	3RW4028-1TB04
Product Description	SIRIUS soft starter S0 38 A, 18.5 kW/400 V, 40 °C 200-480 V AC, 24 V AC/DC Screw terminals Thermistor motor protection
Product family	3RW40 soft starters
Product Lifecycle (PLM)	PM300:Active Product
Price data	
Price Group / Headquarter Price Group	42G / 42G
List Price	Show prices
Customer Price	Show prices
Metal Factor	LAO-----
Delivery information	
Export Control Regulations	AL : N / ECCN : EAR99
Estimated dispatch time (Working Days)	3 Day(s)
Net Weight (kg)	0.718 Kg
Packaging Dimension	154.00 x 183.00 x 58.00
Package size unit of measure	MM
Quantity Unit	1 Piece
Packaging Quantity	1
Additional Product Information	
EAN	4011209691773
UPC	662643896916
Commodity Code	85371098
LKZ_FDB/ CatalogID	CC-IC10
Product Group	3727
Group Code	R711
Country of origin	Czech Republic



Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017



sale@voboal.com



plcsimatic.com

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen