

SIEMENS 6ES7326-2BF41-0AB0 SIMATIC S7, DIGITAL OUTPUT SM 326, F-DO 8X24 V DC/2A PM FAIL-SAFE DIGITAL OUTPUT SWITCHING

Basic Information

- Place of Origin: Germany
- Brand Name: SIEMENS
- Certification: CE
- Model Number: 6ES7326-2BF41-0AB0
- Minimum Order Quantity: 1
- Price: USD
- Packaging Details: 13,20 x 14,90 x 8,90CM
- Delivery Time: 10-12Days
- Payment Terms: L/C, T/T
- Supply Ability: 100



Product Specification

- Power Supply: 24 VDC
- Touchscreen Type: Resistive
- Communication Interfaces: MPI/PROFIBUS DP
- Protection Class: IP20
- Memory Capacity: 128 KB
- Operating System: Windows Embedded Compact 7
- Number Of Analog Inputs: 2/4/8/16
- Operating Voltage: 24 V DC
- Dimensions: Standard: 290 X 100 X 120 Mm, Compact: 125 X 100 X 120 Mm
- Communication Interface: PROFINET, PROFIBUS DP
- Expansion Slots: 1 X SD Card Slot
- Communication Protocol: PROFINET
- Number Of Digital Outputs: 8/16/32/64/128/256
- Processor: Intel Atom Or ARM Cortex-A9

Product Description

SIEMENS 6ES7326-2BF41-0AB0 SIMATIC S7, DIGITAL OUTPUT SM 326, F-DO 8X24 V DC/2A PM FAIL-SAFE DIGITAL OUTPUT SWITCHING

The **SIEMENS 6ES7326-2BF41-0AB0 SIMATIC S7 Digital Output SM 326** module is described as follows:

- **Model:** 6ES7326-2BF41-0AB0
- **Product Type:** SIMATIC S7 Digital Output SM 326
- **Outputs:** F-DO 8X (8 digital outputs)
- **Output Voltage:** 24V DC
- **Output Current:** 2A per channel
- **Special Feature:** Fail-safe Digital Output Switching

This module offers 8 digital output channels (F-DO 8X) configured for 24V DC output signals, with each channel supporting a current of up to 2A. It is designed as a fail-safe digital output module with specific features for ensuring reliable and safe digital output switching operations within SIMATIC S7 systems.

Product	
Article Number	6ES7326-2BF41-0AB0
Product Description	SIMATIC S7, Digital output SM 326, F-DO 8x24 V DC/2A PM fail-safe digital output Switching to P-M potential up to Category 4 (EN 954-1)/ SIL3 (IEC61508)/PLE (ISO13849), 1x 40-pole
Product family	SM 326 F-digital output modules - Safety Integrated
Product Lifecycle (PLM)	PM400:Phase Out Started
PLM Effective Date	Product phase-out since: 01.10.2023
Price data	
Price Group	2AP
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Material	see also metal factor (further details are available on the help page)
Metal Factor	see also metal factor (further details are available on the help page)
Delivery information	
Export Control Regulations	AL : N / ECCN : 9N9999
Estimated dispatch time (Working Days)	1 Day(s)
Net Weight (kg)	0,501 Kg
Packaging Dimension	13,20 x 14,90 x 8,90
Package size unit of measure	CM
Quantity Unit	1 Piece
Packaging Quantity	1
Additional Product Information	
EAN	4025515078241
UPC	040892550375
Commodity Code	85389091
LKZ_FDB/CatalogID	ST73
Product Group	2298
Group Code	R152
Country of origin	Germany



Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017



sale@voboal.com



plcsimatic.com

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen