

SIEMENS 6ES7340-1BH00-0AE0 SIMATIC S7-300, CP 340 COMMUNICATION PROCESSOR WITH 20MA INTERFACE (TTY) INCL. CONFIG.

Basic Information

- Place of Origin: Germany
- Brand Name: SIEMENS
- Certification: CE
- Model Number: 6ES7340-1BH00-0AE0
- Minimum Order Quantity: 1
- Price: USD
- Packaging Details: 13,20 x 15,20 x 5,00CM
- Delivery Time: 10-12Days
- Payment Terms: L/C, T/T
- Supply Ability: 100



Product Specification

- Number Of Timers: 2/4/8
- Modular Design: Yes
- Software Compatibility: STEP 7, TIA Portal
- Manufacturer: Siemens
- Communication Interfaces: PROFIBUS, MPI, Ethernet
- Data Protection: Yes
- Protection Class: IP20
- Operating Voltage: 24 VDC
- Temperature Range: -20 To 60°C
- Screen Size: 7-22 Inches
- Processor: ARM Cortex-A8 600 MHz
- Protection Rating: IP20
- Mounting Type: Panel Mounting
- Storage: 128 MB Flash
- Software: STEP 7

Product Description


SIEMENS 6ES7340-1BH00-0AE0 SIMATIC S7-300, CP 340 COMMUNICATION PROCESSOR WITH 20mA INTERFACE (TTY) INCL. CONFIG.

The ****SIEMENS 6ES7340-1BH00-0AE0 SIMATIC S7-300 CP 340 Communication Processor**** is a module designed for the ****SIMATIC S7-300**** series. It features a 20mA current loop interface, commonly known as a TTY interface, for communication purposes. This module enables data exchange between the S7-300 system and external devices that utilize the 20mA current loop communication standard.

Key specifications and features of this communication processor include:

- ****Model:**** 6ES7340-1BH00-0AE0
- ****Compatibility:**** SIMATIC S7-300 series
- ****Functionality:**** CP 340 Communication Processor
- ****Interface:**** 20mA current loop (TTY)
- ****Communication:**** Facilitates data exchange between the S7-300 system and external devices
- ****Configuration:**** Includes tools for configuration and setup
- ****Application:**** Suitable for industrial automation and control systems
- ****Integration:**** Easily integrates into the S7-300 system for seamless communication
- ****Data Transfer:**** Enables reliable data transfer using the 20mA current loop communication standard (TTY)
- ****Benefits:**** Enhances connectivity and communication capabilities, allowing for efficient data exchange and integration with devices supporting the 20mA current loop interface (TTY).

Product	
Article Number	6ES7340-1BH00-0AE0
Product Description	SIMATIC S7-300, CP 340 COMMUNICATION PROCESSOR WITH 20MA INTERFACE (TTY) INCL. CONFIG. PACKAGE ON CD
Product family	Not available
Product Lifecycle (PLM)	PM500:Discontinued Product or end of PLM & Support
PLM Effective Date	End of product lifecycle since: 01.10.2011
Notes	Product is no longer available. Successor: 6ES7340-1BH02-0AE0 Compare Products
Successor information	
Successor	6ES7340-1BH02-0AE0
Successor Description	SIMATIC S7-300, CP 340 Communications processor with 20 mA interface (TTY) incl. configuration package on CD
Price data	
Price Group	2AP
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Material	see also metal factor (further details are available on the help page)
Metal Factor	see also metal factor (further details are available on the help page)
Delivery information	
Export Control Regulations	ECCN : N / AL : N
Estimated dispatch time (Working Days)	1 Day(s)
Net Weight (kg)	0,352 Kg
Packaging Dimension	13,20 x 15,20 x 5,00
Package size unit of measure	CM
Quantity Unit	0 Piece
Packaging Quantity	1
Additional Product Information	
EAN	4025515061441
UPC	Not available
Commodity Code	85176200
LKZ_FDB/ CatalogID	ST9-E5
Product Group	2290
Group Code	R111
Country of origin	Germany



Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017



sale@voboal.com



plcsimatic.com

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen