

SIEMENS 6ES7355-1VH10-0AE0 SIMATIC S7-300, CONTROL UNIT FM 355 S, 4 CHANNELS, STEP AND PULSE, 4 AI+8 DI+8 DO INCL.

Basic Information

- Place of Origin: Germany
- Brand Name: SIEMENS
- Certification: CE
- Model Number: 6ES7355-1VH10-0AE0
- Minimum Order Quantity: 1
- Price: USD
- Packaging Details: 9,10 x 12,60 x 15,10CM
- Delivery Time: 10-12Days
- Payment Terms: L/C, T/T
- Supply Ability: 100



Product Specification

- Programming Languages: Ladder Logic, Function Block Diagram, Structured Control Language
- Operating Voltage: 24V DC
- Communication Interfaces: PROFIBUS DP, MPI, Ethernet
- Power Consumption: 40 W
- Temperature Range: -20 To 60 Degrees Celsius
- Number Of Analog Inputs: 8
- Manufacturer: Siemens
- Operating System: Windows Embedded Compact 7
- Dimensions: 9,10 X 12,60 X 15,10CM
- Expansion Slots: 1 X SD Card Slot
- Modular Design: Yes
- Weight: 0,573 Kg
- Programming Language: Ladder Logic
- Expansion Modules: Yes

Product Description

SIEMENS 6ES7355-1VH10-0AE0 SIMATIC S7-300, CONTROL UNIT FM 355 S, 4 CHANNELS, STEP AND PULSE, 4 AI+8 DI+8 DO INCL.

The **SIEMENS 6ES7355-1VH10-0AE0** is a **SIMATIC S7-300** Control Unit known as **FM 355 S**. Here are the key specifications for this control unit:

- **Product Code:** 6ES7355-1VH10-0AE0
- **Product Line:** SIMATIC S7-300
- **Control Unit Type:** FM 355 S
- **Channels:** 4 channels for step and pulse operations
- **Inputs:** 4 Analog Inputs (AI), 8 Digital Inputs (DI)
- **Outputs:** 8 Digital Outputs (DO)
- **Inclusions:** Included components for the described inputs and outputs

This control unit, the FM 355 S, offers 4 channels designed for step and pulse operations. It comes with 4 Analog Inputs (AI), 8 Digital Inputs (DI), and 8 Digital Outputs (DO). The FM 355 S control unit is suitable for applications that require precise control over step and pulse operations, along with handling a combination of analog and digital signals within the SIMATIC S7-300 system.

Product	
Article Number	6ES7355-1VH10-0AE0
Product Description	SIMATIC S7-300, Control Unit FM 355 S, 4 channels, Step and pulse, 4 AI+8 DI+8 DO incl. multi-language configuration package, Manual and Getting Started (de, de, fr, en fr, it) on CD-ROM
Product family	FM 355 controller module
Product Lifecycle (PLM)	PM400:Phase Out Started
PLM Effective Date	Product phase-out since: 01.10.2023
Price data	
Price Group	2AP
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Material	see also metal factor (further details are available on the help page)
Metal Factor	see also metal factor (further details are available on the help page)
Delivery information	
Export Control Regulations	AL : N / ECCN : 9N9999
Estimated dispatch time (Working Days)	1 Day(s)
Net Weight (kg)	0,573 Kg
Packaging Dimension	9,10 x 12,60 x 15,10
Package size unit of measure	CM
Quantity Unit	1 Piece
Packaging Quantity	1
Additional Product Information	
EAN	4025515061649
UPC	662643176452
Commodity Code	85389091
LKZ_FDB/CatalogID	ST73
Product Group	2291
Group Code	R132
Country of origin	Germany



Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017



sale@voboal.com



plcsimatic.com

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen