SIEMENS 6ES7414-3EM07-0AB0 SIMATIC S7-400 SIMATIC S7-400, CPU 414-3 PN/DP CENTRAL PROCESSING UNIT WITH: WORK MEMORY 4 MB

Basic Information

. Place of Origin: Germany Brand Name: SIEMENS · Certification: CE

Model Number: 6ES7414-3EM07-0AB0

 Minimum Order Quantity: 1 • Price: USD

 Packaging Details: 23,30 x 30,20 x 6,60CM

• Delivery Time: 10-12Days Payment Terms: L/C, T/T 100 . Supply Ability:



Product Specification

· Storage:

• Programming Software: STEP 7 . Memory: 8 MB Relative Humidity: 5 To 95% 256 Number Of Digital Inputs:

Programmable Logic Controller Type:

4 GB Flash

256 KBYTE . Maximum Memory: . Redundancy: Hot Standby Programming Language: STEP 7

Humidity: 5% To 95% (non-condensing) • Communication Protocols: PROFIBUS, PROFINET

Touchscreen Type: Resistive • Protection Class: IP20

Operating System: Windows Embedded Compact 7

Programming Environment: STEP 7

Product Description

SIEMENS 6ES7414-3EM07-0AB0 SIMATIC S7-400 SIMATIC S7-400, CPU 414-3 PN/DP CENTRAL PROCESSING UNIT WITH: WORK MEMORY 4 MB

The **SIEMENS 6ES7414-3EM07-0AB0** is a **SIMATIC S7-400** CPU model **414-3 PN/DP** with the following specifications:

- **Product Code:** 6ES7414-3EM07-0AB0
- **Product Line:** SIMATIC S7-400
- **CPU Model:** 414-3 PN/DP
- **Work Memory:** 4 MB

Key features of this CPU include:

- **CPU Model:** 414-3 PN/DP, a central processing unit within the SIMATIC S7-400 system.
- **Work Memory:** It offers a work memory capacity of 4 MB, providing ample memory for efficient data processing and program execution.

This CPU variant is ideal for applications that require a powerful central processing unit with a substantial work memory capacity within the SIMATIC S7-400 system. The generous memory capacity enables the handling of complex automation tasks, making it well-suited for applications that demand high computational capabilities and extensive memory resources.

	g it well-suited for applications that demand high computational capabilities and
Product	
Article	6ES7414-3EM07-0AB0
Number	
Product Description	SIMATIC S7-400, CPU 414-3 PN/DP Central processing unit with: Work memory 4 MB, (2 MB code, 2 MB data), interfaces 1st interface MPI/DP 12 Mbit/s, (X1), 2nd interface Ethernet/PROFINET (X5) 3rd interface IF 964-DP plug-in (IF1)
Product family	CPU 414
Product	
Lifecycle (PLM)	PM300:Active Product
Price data	
Price Group	240
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Material	see also metal factor (further details are available on the help page)
Metal Factor	see also metal factor (further details are available on the help page)
Delivery information	
Export Control Regulations	AL : N / ECCN : 9N9999
Estimated dispatch time (Working	5 Day(s)
Days) Net Weight (kg)	1,130 Kg
Packaging Dimension	23,30 x 30,20 x 6,60
Package size unit of measure	СМ
Quantity Unit	1 Piece
Packaging Quantity	1
Additional Product Information	
EAN	4047622229927
UPC	804766234231
Commodity Code	85371091
LKZ_FDB/ CatalogID	ST74
Product Group	4040
Group Code	R338
Country of origin	Germany



VOBOAL Shenzhen Voboal Industrial Automation Co., Ltd.

+8613760462017

sale@voboal.com

plcsimatic.com

 $Sienteng\ Zhongbao\ Industrial\ Park, Longdong\ Community,\ Baolong\ Street,\ Longgang\ District,\ Shenzhen$