

SIEMENS 6ES7422-1BH11-0AA0 SIMATIC S7-400, DIGITAL OUTPUT SM 422, ISOLATED 16 DO; 24 V DC, 2 A

Basic Information

- Place of Origin: Germany
- Brand Name: SIEMENS
- Certification: CE
- Model Number: 6ES7422-1BH11-0AA0
- Minimum Order Quantity: 1
- Price: USD
- Packaging Details: 23,30 x 29,50 x 3,80CM
- Delivery Time: 10-12Days
- Payment Terms: L/C, T/T
- Supply Ability: 100PS



Product Specification

- Inputs: 24/48/60 V DC
- Programming Language: STEP 7
- Memory Size: 1 MB
- Memory Capacity: 5.6 MB
- Expansion Slots: 1 X SD Card Slot
- Number Of Inputs: 512
- Backup Battery: Yes
- Number Of Digital Inputs: 32
- Programming: STEP 7
- Maximum Memory: 256 KBYTE
- Touch Screen: Multi-touch, Capacitive, Resistive
- Environmental Protection: IP65 (front), IP20 (rear)
- Processor Type: IM467
- Storage Temperature: -40 To +85°C
- Analog Outputs: Up To 64

Product Description

SIEMENS 6ES7422-1BH11-0AA0 SIMATIC S7-400, DIGITAL OUTPUT SM 422, ISOLATED 16 DO; 24 V DC, 2 A
The **SIEMENS 6ES7422-1BH11-0AA0** is a **SIMATIC S7-400** digital output module known as the **SM 422**. This module features **16 isolated digital outputs** that operate at **24 V DC** with a **maximum current rating of 2 A**.
Key specifications of the 6ES7422-1BH11-0AA0 digital output module:

- **Product Code:** 6ES7422-1BH11-0AA0
- **Product Line:** SIMATIC S7-400
- **Module Type:** Digital Output SM 422
- **Digital Outputs:** 16 isolated
- **Voltage:** 24 V DC
- **Current Rating:** 2 A per output
- **Isolation:** Isolated outputs

This digital output module is designed for the SIMATIC S7-400 system and is equipped with 16 isolated digital outputs, each capable of handling up to 2 A of current at 24 V DC. The isolation provided by this module helps in preventing electrical interference between the outputs, ensuring reliable and safe operation within the automation system.

Product	
Article Number	6ES7422-1BH11-0AA0
Product Description	SIMATIC S7-400, digital output SM 422, isolated 16 DO; 24 V DC, 2 A
Product family	SM 422 digital output module
Product Lifecycle (PLM)	PM300:Active Product
Price data	
Price Group	240
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Material	see also metal factor (further details are available on the help page)
Metal Factor	see also metal factor (further details are available on the help page)
Delivery information	
Export Control Regulations	AL : N / ECCN : 9N9999
Estimated dispatch time (Working Days)	5 Day(s)
Net Weight (kg)	0,792 Kg
Packaging Dimension	23,30 x 29,50 x 3,80
Package size unit of measure	CM
Quantity Unit	1 Piece
Packaging Quantity	1
Additional Product Information	
EAN	4019169043045
UPC	662643186208
Commodity Code	85389091
LKZ_FDB/ CatalogID	ST74
Product Group	4041
Group Code	R338
Country of origin	Germany



Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017



sale@voboal.com



plcsimatic.com

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen