

SIEMENS 6ES7151-7FA01-0AB0 SIMATIC DP, IM151-7 F-CPU FOR ET200S, 64 KB WORKING MEMORY W. INTEGR. PROFIBUS DP INTERFACE (9 PIN SUB-D, FEMALE) AS DP SLAVE, W/O BATTERY

Basic Information

Place of Origin: GermanyBrand Name: SIEMENSCertification: CE

Model Number: 6ES7151-7FA01-0AB0

Minimum Order Quantity: 1Price: USD

• Packaging Details: 8,60 x 12,60 x 8,00CM

Delivery Time: 10-12Days
Payment Terms: L/C, T/T
Supply Ability: 100PS



Product Specification

. Memory Capacity:

Communication Speed: 100 MbpsMemory Size: 75 KB

Power Consumption: Max. 100 MAProcessor: ARM Cortex A8

Protection Class lp: IP30
Usb: 1
Protection Class: IP20
Power Supply: 24V DC
Manufacturer: Siemens
Product Series: SIMATIC

Type: Programmable Logic Controller
 Product Type: Programmable Logic Controller

• Communication Protocols: PROFINET, PROFIBUS, Modbus TCP,

TCP/IF

128 KB

Product Description

SIEMENS 6ES7151-7FA01-0AB0 SIMATIC DP, IM151-7 F-CPU FOR ET200S, 64 KB WORKING MEMORY W. INTEGR. PROFIBUS DP INTERFACE (9 PIN SUB-D, FEMALE) AS DP SLAVE, W/O BATTERY

The **Siemens 6ES7151-7FA01-0AB0** is an **IM151-7 F-CPU** module designed for the **SIMATIC DP** series, specifically intended for use within the **ET200S** system. This module features **64 KB of working memory** and is equipped with an **integrated PROFIBUS DP interface** using a 9-pin Sub-D female connector, functioning as a **DP slave** device. It does not include a battery.

Key features of the 6ES7151-7FA01-0AB0 IM151-7 F-CPU for ET200S:

- **Product Code:** 6ES7151-7FA01-0AB0 **Product Line:** SIMATIC DP
- **Compatible System:** ET200S
- **Module Type:** IM151-7 F-CPU
- **Working Memory:** 64 KB
- **Communication Interface:** Integrated PROFIBUS DP interface (9-pin Sub-D, female) as DP slave
- **Battery:** Not included

This IM151-7 F-CPU module, with 64 KB of working memory and an integrated PROFIBUS DP interface utilizing a 9-pin Sub-D female connector, serves as a DP slave within the ET200S system. Although it does not come with a battery, it provides the necessary processing capabilities and communication functionalities for a variety of industrial automation applications within a distributed control system environment

distributed control system environment.	
Product	
Article Number	6ES7151-7FA01-0AB0
Product Description	SIMATIC DP, IM151-7 F-CPU FOR ET200S, 64 KB WORKING MEMORY W. INTEGR. PROFIBUS DP INTERFACE (9 PIN SUB-D, FEMALE) AS DP SLAVE, W/O BATTERY
Product family	Not available
Product Lifecycle (PLM)	PM500:Discontinued Product or end of PLM & Support
PLM Effective Date	End of product lifecycle since: 01.10.2013
Notes	Product is no longer available. Successor: 6ES7151-7FA21-0AB0 Compare Products
Successor information	
Successor	6ES7151-7FA21-0AB0
Successor Description	*** spare part *** SIMATIC DP, IM151-7 F-CPU for ET200S, 192 KB work memory with integrated PROFIBUS DP interface (9-pole D-sub socket) as DP Slave, without battery SIMATIC MMC required
Price data	
p	2AP
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Material	see also metal factor (further details are available on the help page)
Metal Factor	see also metal factor (further details are available on the help page)
Delivery information	
Export Control Regulations	ECCN: N / AL: N
Estimated dispatch time (Working Days)	1 Day(s)
Net Weight (kg)	0,240 Kg
Packaging Dimension	8,60 x 12,60 x 8,00
Package size unit of measure	СМ
Quantity Unit	0 Piece
Packaging Quantity	1
Additional Product Information	
	4025515071396
UPC	Not available
Commodity Code	85389091
LKZ_FDB/ CatalogID	ST9-E5
Product Group	2298
Group Code	R111
Country of origin	Germany



VOBOAL Shenzhen Voboal Industrial Automation Co., Ltd.





+8613760462017 Sale@voboal.com Plcsimatic.com



 $Sienteng\ Zhongbao\ Industrial\ Park, Longdong\ Community,\ Baolong\ Street,\ Longgang\ District,\ Shenzhen$