SIEMENS 6ES7156-0AA01-0XA0 SIMATIC DP,FIELD BUS COUPLER DP/AS-I LINK BETWEEN PROFIBUS DP AND AS-I, DEGREE OF PROTECTION IP66/IP67

Basic Information

Place of Origin: GermanyBrand Name: SIEMENSCertification: CE

Model Number: 6ES7156-0AA01-0XA0

Minimum Order Quantity: 1Price: USD

Packaging Details: 10,80 x 24,40 x 6,90CM

Delivery Time: 10-12Days
Payment Terms: L/C, T/T
Supply Ability: 100PS



Product Specification

Software: SIMATIC WinCC Runtime Advanced

High Speed Counters: Up To 8Range: Simatic S7

Country Of Origin: United States Of America

Memory Capacity: 128 KB
 Number Of Analog Inputs: 4
 Operating Voltage: 24 V DC
 Temperature Range: -25°C To +60°C

Maximum Memory:
 1 MB

• Product Family: SIMATIC ET 200

Model: ET200
Protection Rating: IP20
Weight: 0,800 Kg

Display Resolution: 800 X 480 Pixels

Programming Language: STEP 7

Product Description

SIEMENS 6ES7156-0AA01-0XA0 SIMATIC DP, FIELD BUS COUPLER DP/AS-I LINK BETWEEN PROFIBUS DP AND AS-I, **DEGREE OF PROTECTION IP66/IP67**

The **Siemens 6ES7156-0AA01-0XA0** is a **SIMATIC DP Field Bus Coupler** designed to establish a connection between **Profibus DP and AS-I networks**. This coupler enables communication between these networks and offers a **degree of protection IP66/IP67**, making it suitable for environments where protection against dust and water ingress is required. ### Key Specifications:

- **Product Code:** 6ES7156-0AA01-0XA0
 Compatibility: SIMATIC DP systems
 Functionality: Field Bus Coupler for linking Profibus DP and AS-I networks
- **Degree of Protection:** IP66/IP67
- **Environment:** Suitable for environments requiring protection against dust and water ingress ### Overview:
- **Network Link:** Facilitates communication between Profibus DP and AS-I networks for seamless data exchange.
- **Compatibility:** Designed for integration with SIMATIC DP systems for enhanced automation capabilities.
- **Degree of Protection:** IP66/IP67 rating ensures resistance to dust and water, ideal for rugged industrial environments.
 Versatile Connectivity: Enables efficient data transfer between different fieldbus networks for optimized automation

This SIMATIC DP Field Bus Coupler serves as a crucial link between Profibus DP and AS-I networks, enabling efficient communication in automation systems. With its IP66/IP67 degree of protection, it is well-suited for environments where

protection against dust and water is essential for reliable and uninterrupted operation.	
Product	
Article Number	6ES7156-0AA01-0XA0
Product Description	*** SPARE PART*** SIMATIC DP,FIELD BUS COUPLER DP/AS-I LINK BETWEEN PROFIBUS DP AND AS-I, DEGREE OF PROTECTION IP66/IP67
Product family	Not available
Product Lifecycle (PLM)	PM500:Discontinued Product or end of PLM & Support
PLM Effective Date	End of product lifecycle since: 15.03.2015
Notes	Product was deleted without replacement. If you need assistance please contact our local Siemens office
Price data	
Price Group	2AP
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Material	see also metal factor (further details are available on the help page)
Metal Factor	see also metal factor (further details are available on the help page)
Delivery information	
Export Control Regulations	ECCN : N / AL : N
Estimated dispatch time (Working Days)	30 Day(s)
Net Weight (kg)	0,800 Kg
Packaging Dimension	10,80 x 24,40 x 6,90
Package size unit of measure	СМ
Quantity Unit	0 Piece
Packaging Quantity	1
Additional Product	Information
EAN	4025515059318
UPC	754554899305
	85176200
LKZ_FDB/ CatalogID	ST9-E5
Product Group	4468
Group Code	R111
Country of origin	Germany



VOBOAL Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017





Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen