

SIEMENS 6ES7194-3AA00-0BA0 SIMATIC DP, CONNECTION BLOCK M12, 7/8" FOR ET 200ECO, 2X M12 AND 2X 7/8", 2 ROTARY CODING SWITCHES FOR PROFIBUS DP, ADDRESS SETTING

Basic Information

- Place of Origin: Germany
- Brand Name: SIEMENS
- Certification: CE
- Model Number: 6ES7194-3AA00-0BA0
- Minimum Order Quantity: 1
- Price: USD
- Packaging Details: 9,50 x 12,00 x 6,30CM
- Delivery Time: 10-12Days
- Payment Terms: L/C, T/T
- Supply Ability: 100PS



Product Specification

- Input Voltage: 24 V DC
- Operating Temperature Range: -25°C To +60°C
- Processor: ARM Cortex A8
- Communication Speed: 100 Mbps
- Manufacturer: Siemens
- Display Resolution: 800 X 480 Pixels
- Number Of Analog Outputs: 4
- Number Of Inputs: Up To 256 Digital Inputs
- Software: STEP 7 Basic V13
- Communication Protocol: PROFINET
- Analog Outputs: 2
- Range: Simatic S7
- Digital Inputs: 16
- Temperature Range: -25°C To +60°C

Product Description

SIEMENS 6ES7194-3AA00-0BA0 SIMATIC DP, CONNECTION BLOCK M12, 7/8" FOR ET 200ECO, 2X M12 AND 2X 7/8", 2 ROTARY CODING SWITCHES FOR PROFIBUS DP, ADDRESS SETTING

The **Siemens 6ES7194-3AA00-0BA0** is a **Simatic DP** component referred to as the **Connection Block M12** designed for the **ET 200ECO** system. This block features **2x M12** connections and **2x 7/8** connections, along with **2 rotary coding switches** specifically for **Profibus DP address setting**.

Key Specifications:

- **Product Code:** 6ES7194-3AA00-0BA0
- **Product Name:** SIMATIC DP Connection Block M12
- **Compatibility:** ET 200ECO system
- **Features:**
 - 2x M12 connections
 - 2x 7/8" connections
 - 2 rotary coding switches for Profibus DP address setting

Overview:

- **Functionality:** Connection block for ET 200ECO system
- **Connection Types:**
 - 2x M12 connections
 - 2x 7/8" connections
- **Address Setting:**
 - 2 rotary coding switches provided for Profibus DP address configuration
- **Usage:** Facilitates easy connection establishment and address setting within the system

The Siemens 6ES7194-3AA00-0BA0 Connection Block M12 is a crucial component within the ET 200ECO system, featuring versatile connection options with 2x M12 and 2x 7/8" connections. Additionally, the inclusion of 2 rotary coding switches specifically for Profibus DP address setting streamlines the configuration process, ensuring efficient and accurate address assignment within the system.

Product	
Article Number	6ES7194-3AA00-0BA0
Product Description	SIMATIC DP, Connection block M12, 7/8" for ET 200ECO, 2x M12 and 2x 7/8", 2 rotary coding switches for PROFIBUS DP, Address setting
Product family	Not available
Product Lifecycle (PLM)	PM410:Product cancellation
PLM Effective Date	Product is cancelled since: 01.10.2022
Notes	This product is a spare part product. More information you'll get via "Alternative Buying Options". If you need assistance please contact our local Siemens office
Price data	
Price Group	S20
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Material	see also metal factor (further details are available on the help page)
Metal Factor	see also metal factor (further details are available on the help page)
Delivery information	
Export Control Regulations	ECCN : N / AL : N
Estimated dispatch time (Working Days)	1 Day(s)
Net Weight (kg)	0,290 Kg
Packaging Dimension	9,50 x 12,00 x 6,30
Package size unit of measure	CM
Quantity Unit	1 Piece
Packaging Quantity	1
Additional Product Information	
EAN	4025515068594
UPC	662643224610
Commodity Code	85389091
LKZ_FDB/CatalogID	ST9.76
Product Group	4468
Group Code	R151
Country of origin	Germany



Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017



sale@voboal.com



plcsimatic.com

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen