

SIEMENS 6ES7221-3AD30-0XB0 SIMATIC S7-1200, DIGITAL INPUT SB 1221, 4 DI, 5V DC 200KHZ, SOURCING INPUT

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: SIEMENS
- Certification: CE
- Model Number: 6ES7221-3AD30-0XB0
- Minimum Order Quantity: 1
- Price: USD
- Packaging Details: 4,70 x 8,00 x 2,70CM
- Delivery Time: 10-12Days
- Payment Terms: L/C, T/T
- Supply Ability: 100PS



Product Specification

- Certifications: CE, UL, CSA
- Number Of Analog Outputs: 0/2
- Weight: 0,030 Kg
- Analog Inputs: 4 (0-10 V DC)
- Power Supply: 24 V DC
- Number Of Analog Inputs: 2/4
- Analog Outputs: 2 (0-10 V DC)
- Number Of Digital Outputs: 6/14/20/26
- Type: Programmable Logic Controller
- Communication Ports: 1 X RS485, 1 X Ethernet
- Cpu Type: S7-1200
- Outputs: 1 Analog Output
- Integrated Security: Yes
- Integrated Safety: Yes
- Warranty: 1 Years

for more products please visit us on plcsimatic.com

Product Description

SIEMENS 6ES7221-3AD30-0XB0 SIMATIC S7-1200, DIGITAL INPUT SB 1221, 4 DI, 5V DC 200KHZ, SOURCING INPUT
The **Siemens 6ES7221-3AD30-0XB0** is a **Simatic S7-1200** Digital Input module, specifically the SB 1221 variant. This module is designed to handle digital input signals.

Here are the key specifications for this Digital Input module:

- **Product Code:** 6ES7221-3AD30-0XB0
- **Product Name:** SIMATIC S7-1200 Digital Input SB 1221
- **Module Type:** Digital Input module
- **Digital Inputs:** 4 channels
- **Voltage:** 5 V DC
- **Input Frequency:** 200 kHz
- **Input Type:** Sourcing Input

Overview:

- **Module Type:** Digital Input module suitable for the S7-1200 series
- **Digital Inputs:** Provides 4 channels for digital input signals
- **Voltage:** Supports a 5 V DC input voltage
- **Input Frequency:** Capable of handling input signals up to 200 kHz
- **Input Type:** Sourcing Input configuration
- **Application:** Ideal for applications requiring digital input signal processing with sourcing input configuration

The Siemens 6ES7221-3AD30-0XB0 SB 1221 Digital Input module is a specialized component tailored for industrial automation applications within the Simatic S7-1200 series. With its 4 channels dedicated to digital input signals, support for a 5 V DC input voltage, high input frequency capability, and sourcing input configuration, this module is well-suited for applications that demand accurate and responsive digital input signal processing.

Product	
Article Number	6ES7221-3AD30-0XB0
Product Description	SIMATIC S7-1200, Digital input SB 1221, 4 DI, 5V DC 200kHz, Sourcing input
Product family	SB 1221 digital input modules
Product Lifecycle (PLM)	PM300:Active Product
Price data	
Price Group	212
List Price	Show prices
Customer Price	Show prices
Surcharge for Raw Material	see also metal factor (further details are available on the help page)
Metal Factor	see also metal factor (further details are available on the help page)
Delivery information	
Export Control Regulations	AL : N / ECCN : 9N9999
Estimated dispatch time (Working Days)	1 Day(s)
Net Weight (kg)	0,030 Kg
Packaging Dimension	4,70 x 8,00 x 2,70
Package size unit of measure	CM
Quantity Unit	1 Piece
Packaging Quantity	1
Additional Product Information	
EAN	6940408100831
UPC	662643538892
Commodity Code	85389091
LKZ_FDB/ CatalogID	ST72
Product Group	4508
Group Code	R132
Country of origin	China



Shenzhen Voboal Industrial Automation Co., Ltd.



+8613760462017



sale@voboal.com



plcsimatic.com

Sienteng Zhongbao Industrial Park, Longdong Community, Baolong Street, Longgang District, Shenzhen